




\$195.00 F.O.B. Chicago

SAWS SAVE YOU TIME AND MONEY with A TER FINISH TO ALL YOUR SAWING JOBS!



MODEL 60 Mall Saw

The combination of light weight plus low price make the Model 60 MallSaw a "natural" for packing departments and shipping rooms; also, for carpenters, builders and contractors on small homes, garages and remodeling jobs. This speedy time-saver zips through dressed lumber up to two inches thick! Light weight of only 9 pounds makes it easy to operate in any position for almost any length of time!

Can be equipped with MALL abrasive blades for grooving out mortar joints for tuck pointing, scoring limestone, tile, concrete and other aggregate compositions. Standard equipment includes:—handy carrying carton, one 6" combination rip and cross-cut blade, rubber-covered cord and plug. Powered with a sturdy universal motor for 110 volt AC-DC or 220 volt AC-DC current—specify voltage desired.





FOR BETTER AND SPEEDIER FINISHES use MALL PLANES

Mall SURFACE PLANE

Eliminate old-style hand planing with this speedy electric Mall-Plane. Gives finishes that do not require any sanding—ten times faster than hand methods! Equipped with a heavy duty universal motor for operation on 110 volt AC-DC or 220 volt AC-DC. Has a capacity of $2\frac{1}{2}$ " wide and $\frac{1}{6}$ " deep. Handy depth adjustment knobs makes adjustments possible while plane is operating! Indicator shows depth of cut.

Easily attached bevel fence makes this surface plane available for door planing . . . removable for work on surfaces! Sturdy aluminum frame gives greatest possible strength with lightest possible weight of 27 pounds! Perfectly balanced to make steady operation easy! Standard equipment includes:-cutter head with two high speed steel knives, 15' rubber-covered cord, all-steel carrying case.

No. 11620 SURFACE PLANE

F.O.B. Chicago

- - \$190.00

Mall Speedy DOOR-PLANE

Gives a faster, more accurate method of fitting sash, transoms, doors or for planing any surface up to 2.7/16" wide. The spiral cutter planes any type of wood with or across the grain and leaves a smooth, clean finish that does not require further sanding! You can plane and fit ten times as many doors during α day's work . . . and do it faster and easier! Handy bevel fence can be set for a predetermined bevel. Hairbreadth adjustment of cutting depth up to 1/8" during operation is also possible. Latest universal motor available for 110 volt or 220 volt AC-DC current . . . state voltage desired.

Standard equipment includes:—all-metal carrying case, spiral cutter plus grinding attachment and wheel for sharpening plane-cutter, rubber covered cord and plug. Net weight of only 11 pounds make one-hand operation possible!

- - \$115.00 No. 10650 DOOR PLANE F.O.B. Chicago

High-Speed, Efficient Mall Drills A Type and Size For Every Job!

MALLDRILLS are designed and made of the finest materials available to give you the best service possible. Their compact, streamlined and lightweight design make them ideal for continuous use, especially in close quarters drilling. No more costly repairs or annoying failures if you use MALLDRILLS—they're built for rugged duty and tough work on ALL assignments. Each MALLDRILL is available in two voltages—110 volt AC-DC or 220 volt AC-DC, 25 to 60 cycles. Another standard feature is the high quality, 3-jaw geared type chuck, threaded to spindle with the chuck key permanently attached to the electric cord where it can't be lost. All housings are of the finest die cast aluminum alloy to give you the greatest strength with the lowest possible weight. Remember—there's a MALL-DRILL for every industry or application. Your local MALL dealer will be glad to give you a complete demonstration of these drills or any other tools described in this folder.

MODELS 143-T AND 143-TP

SPECIFICATIONS: ... 1/4" capacity in steel ... precision ball bearings on all shafts ... balanced armature for smoother operation ... commutator may be inspected and brushes, switch or cord easily replaced without dismantling drill ... helical cut, hardened steel alloy gears with relative hardness between gear and pinion for long life and quiet operation ... Model 143-T no load speed of 2500 r.p.m.; Model 143-TP 1800 r.p.m. ... net weight, 4 pounds; shipping weight, 5 pounds.

MODEL 153

SPECIFICATIONS: ... 5/16" capacity in steel ... blower type ventilation fan assures cool operation ... no load speed of 800 r.p.m. ... equipped with powerful ball bearing motor ... easily serviced, commutator may be inspected and brushes, switch and cord replaced without dismantling drill ... heavy duty, double pole switch ... grease sealed lubrication ... net weight, 4 pounds; shipping weight, 7 pounds.

MODEL 380

SPECIFICATIONS: 36" capacity in steel . . . rugged and sturdy for heavy duty drilling . . . over-all length is $8\frac{1}{2}$ ", over-all height is $7\frac{1}{2}$ " . . . no load speed of 800 r.p.m. . . . distance from center of chuck to top of drill is 76" . . . can be easily serviced . . . ideal for heavier drilling in close quarters . . . net weight, 5 pounds; shipping weight, 9 pounds.

MODEL 125

SPECIFICATIONS: ½" capacity in steel . . . the heavy duty drill designed for mass production or general maintenance work . . . streamlined, aluminum housings for less weight and easy operation . . . over-all length, 12½"; over-all height, 9¾", without upright handle . . . capacity in wood, 1" . . . no load speed of 500 r.p.m. . . . forced draft ventilation system keeps drill cool . . . net weight, 8 pounds; shipping weight, 12 pounds.

MALL TOOL COMPANY

7740 South Chicago Avenue

Chicago 19, Illinois

Distributed by:

