



**“My new DeWalt saw
gives me every cut I want.
There’s just no substitute for quality!”**

And DeWalt gives you more versatility than any other saw!

New DeWalt Builders' 10" Model T-1812 Radial Arm Saw \$210

Superior Construction Features: Strong, heavy gauge steel base. Roller head rides inside the arm on two precision machined tracks on four shielded, lubricated-for-life ball bearings. Genuine Black & Decker/DeWalt built motor with direct drive and fan cooling. Motor has $\frac{5}{8}$ " diameter left arbor and a right arbor internally threaded for right hand tool chuck. Uniformly rigid cantilever arm rotates 360° horizontally and locks at any miter angle. Fast, accurate setting at 0°, 45° and 90° positions with front single bevel control. Front single rip control for fast positioning of saw head. In-rip, out-rip and crosscut positions are located automatically with steel locator pin. 10" combination blade and necessary wrenches included. Push-button panel and safety-key lock switch located on end of arm for safety.



Rugged Power!
10" blade
cuts 3" deep!

Model T-1810 Contractors' 10" Radial Arm Saw with Magic-Miter Table Top \$249


The Model T-1810 Contractors' DeWalt offers all of the superior quality features of the T-1812 *plus* the sensational new exclusive Magic-Miter Table Top. With the Magic Miter top, you save time and money. You make accurate cross-cuts, right and left miter cuts without moving the arm. See this great new DeWalt today. Ask for a demonstration and make some trial cuts.




Exclusive!
Magic-Miter Table
Top. Warp-resistant
"Hardply" table.
Adjustable miter
fences.

Models T-1531 and T-1533 12" Radial Arm Saws

DeWALT 12" is a heavy duty unit designed for contractors, builders, and industrial maintenance departments. Heavy gauge steel base and legs support a work table of Hardply®. Column is electro-plated to prevent rust. Uniformly rigid cantilever arm rotates 360° horizontally and locks at any angle for mitering. Bevel latches provide quick and accurate settings at 0°, 45° and 90°. Mechanical alignment adjustments provide for lifetime accuracy. Roller head rides inside arm on four (4) shielded, lubricated-for-life, ball bearings. Yoke swivels 360° horizontally. Quickly locates with steel inserts at each 90° position for in-ripping, out-ripping and cross-cutting. Black & Decker/DeWalt built totally enclosed, direct drive, fan-cooled motor has automatic built-in motor brake. Motor has $\frac{5}{8}$ " diameter left arbor and $\frac{3}{8}$ " right arbor. Combination safety-key lock switch and push button on-off switch is built into end of arm.



Heavy steel base and legs are standard equipment.



Front Push-Button switch with safety-key lock for fingertip control.



Exclusive Wedge-Lok Miter Locator locks positively at 0°, 45°. Scale marked in single degrees.




Front single rip control automatically locates both in-rip and out-rip positions.



Front single bevel control provides for quick and accurate settings at 0°, 45° and 90°.



Direct drive fan cooled motor with manual push button brake stops cutter in seconds.



Dual-Arbor motor shaft increases job versatility. Permits use of right hand tools.




Up front elevation control. Precision depth adjustment as fine as 1/4".


SPECIFICATIONS T-1810 AND T-1812

Motor: 1 H.P. Continuous Duty. Develops 2 H.P., 120 V Single Phase Full Load Speed 60 Cycle	3450 RPM
Standard Blade	10" Combination
Standard Guard	10"
Front Arbor (Left Hand Thread)	5/8" diameter x 1 1/2" long
Rear Arbor (Right Hand Thread) ..	3/16" tapped f/R.H. accessories
Roller Head	4 Ball Bearings
Machine Overall Dimensions	
Height	27 1/16"
Width	32"
Depth	26 3/8"
Maximum Depth of Cut	3"
Maximum Cross Cut	12 7/8"
Maximum Rip Capacity	25"

Dado Capacity	1 5/16"
Maximum Miter Capacity	9"
Bevel Locating Latch	0°, 45°, 90°
Miter Locating Latch	0°, 45° R, 45° L
Scales	Miter, Rip, Bevel
Column Diameter	2.75"
Steel Table Size	18" x 21 1/2"
Hardply® Table Size (T-1812)	3/4" x 21 1/16" x 32"
Hardply® Table Size (T-1810)	3/4" x 29 1/2" x 32"
Height Work Table on T-1806 Leg Stand	35"
Net Weight (T-1812)	125 lbs.
Net Weight (T-1810)	130 lbs.
Shipping Weight (T-1812)	133 lbs.
Shipping Weight (T-1810)	138 lbs.



T-1810. Exclusive Magic-Miter Table Top saves time. Permits accurate cross-cuts, right and left miter cuts without moving arm.




T-1806 LEG STAND OPTIONAL AT EXTRA COST


SPECIFICATIONS T-1531 AND T-1533

Model	Cont. H.P.	Developed H.P.	Voltage	Phase	Cycle	Industry Price
T-1531	1 1/2	4	120/208-240	1	60	\$420.00
T-1533	2	5	208-240/440*	3	60	\$510.00

*Model T-1533 same as T-1531 except 3 phase 208-240/440 volt motor, 60 cycle with magnetic switch and low voltage (end of arm) 110 v. control.




Big 4" depth of cut.



Rafter notching on the job.




Angle cuts up to 16" long ...




Safe ... used in school shops.

Motor Rating	Continuous Duty H.P. 1 1/2 and 2
Motor Enclosure	Totally Enclosed-Fan Cooled
Motor Speed (full load) 60 cycles AC	3450 RPM
Arbor	5/8" Diameter
Brake	Automatic
Switch	Push Button/Key*
Saw Blades—5/8" Arbor Hole	12" Combination
Saw Guard	12"
Roller Head	4 Ball Bearings
Machine Overall Dimensions	
Height	62"
Width	34 1/2"
Depth	30 1/2"


Maximum Cut-off	16"
Maximum Depth of Cut	4"
Maximum Miter Cut-off	11 1/2"
Maximum Out-rip	27"
Dado Capacity	1 5/16"
Bevel Locating Latches	0°, 45° and 90°
Miter Locating Latches	45° R, 0°, and 45° L
Steel Table Frame Size	26" x 32" x 6"
Hardply® Table Size	25" x 34 1/2" x 3/4" Thick
Height—Work Table	33"
Column Diameter	2 3/4"
Net Weight	208 lbs.
Shipping Weight	244 lbs.



- ACCESSORY GROUP T-1808**
- 1 T-1814 Tool Guard
 - 1 T-6502 Shaper Set includes:
 - 1 T-6500 Shaper Head
 - 1 T-6505 Set Glue Joint Knives
 - 1 T-6515 Set Cabinet Door Lip Knives
 - 1 T-6517 Set $\frac{3}{8}$ " Bead and Cove Knives
 - 1 T-6522 Set Triple $\frac{1}{4}$ " Bead Knives
- with Pegboard and Hooks. **\$29.88**



- ACCESSORY GROUP T-1809**
- 1 T-2856 Dado
 - 1 T-7470 Disc Sander
 - 1 T-2918 Plywood Blade
 - 1 T-1254 Saber Saw Attachment
- with Pegboard and Hooks. **\$39.88**



BLACK & DECKER/DE WALT QUICK-SET* DADOS

Lets you dial the width you want from $\frac{1}{4}$ " to $1\frac{3}{8}$ " without removing tool from arbor. Make perfect dados, rabbets and ploughs without wobble, burning or chawing. Clean-cutting-blades stay sharp five times longer than ordinary blades!

- T-2860 6" High Speed Tool Steel **\$24.95**
- T-2890 9" High Speed Tool Steel **\$49.95**



- T-8040 Work Light **\$8.50**



T-1441 Newest ways to expert woodworking. A complete guide to power tool techniques. 196 pages. Designed to lay flat when open for easy reference. **\$3.95**




T-1806 Leg Stand. For Contractor's Trim Saw and Builders' 10". \$19.95



JOINTER HEADS, SHAPER HEADS, SHAPER HEAD SETS

- 2-Knife Shaper Head
- T-6480 2-Knife Shaper Head, 5" long x $1\frac{1}{2}$ " wide x $\frac{7}{8}$ " thick, $\frac{5}{8}$ " arbor hole. **\$14.95**
- T-6487 2 Knife Shaper Head cutter set. Includes T-6480 head and 3 sets of knives, Nos. T-3076, T-6477, T-6478. **\$29.95**
- T-6488 2-Knife Head, 5" x $1\frac{1}{2}$ " x $\frac{5}{8}$ " x $\frac{5}{8}$ " Bore. **\$7.95**
- T-6492 2-Knife Shaper Head cutter set. Includes T-6488 head and 3 sets of knives, Nos. T-3076, T-6477, T-6478. **\$27.95**

RADIAL ARM SAW BLADES



		QUALITY	ARBOR	INDUSTRY PRICE
T-1521	8" Ferrous Metal		$\frac{5}{8}$ "	\$ 4.95
T-1714	9" Non-Ferrous Metal		$\frac{5}{8}$ "	7.95
T-2508	9" Combination, Carbide 8 Tooth	Select	$\frac{5}{8}$ "	18.95
T-2509	10" Combination, Carbide 8 Tooth	Select	$\frac{5}{8}$ "	19.95
T-2510	12" Combination, Carbide 12 Tooth	Select	$\frac{5}{8}$ "	29.50
T-2608	10" Combination, Carbide 24 Tooth	Premium	$\frac{5}{8}$ "	79.50
T-2609	12" Combination, Carbide 30 Tooth	Premium	$\frac{5}{8}$ "	124.50
T-2610	10" Planer, Carbide 50 Tooth	Premium	$\frac{5}{8}$ "	134.50
T-2611	10" Rip, Carbide 24 Tooth	Premium	$\frac{5}{8}$ "	59.50
T-2113	9" Combination Chisel Tooth	Premium	$\frac{5}{8}$ "	5.75
T-2114	10" Combination Chisel Tooth	Premium	$\frac{5}{8}$ "	7.95
T-2115	12" Combination Chisel Tooth	Premium	$\frac{5}{8}$ "	13.50
T-2012	9" Combination Novelty Tooth	Premium	$\frac{5}{8}$ "	7.50
T-2013	10" Combination Novelty Tooth	Premium	$\frac{5}{8}$ "	8.50
T-2014	12" Combination Novelty Tooth	Premium	$\frac{5}{8}$ "	12.95
T-2230	9" Hollow Ground	Premium	$\frac{5}{8}$ "	15.95
T-2231	10" Hollow Ground	Premium	$\frac{5}{8}$ "	17.95
T-2312	9" Rip	Premium	$\frac{5}{8}$ "	8.95
T-2313	10" Rip	Premium	$\frac{5}{8}$ "	10.95
T-2314	12" Rip	Premium	$\frac{5}{8}$ "	12.50
T-2108	9" Combination Chisel Tooth	Select	$\frac{5}{8}$ "	5.95
T-2109	10" Combination Chisel Tooth	Select	$\frac{5}{8}$ "	6.00
T-2112	12" Combination Chisel Tooth	Select	$\frac{5}{8}$ "	7.50
T-2009	9" Combination Novelty Tooth	Select	$\frac{5}{8}$ "	5.95
T-2010	10" Combination Novelty Tooth	Select	$\frac{5}{8}$ "	5.95
T-2011	12" Combination Novelty Tooth	Select	$\frac{5}{8}$ "	7.50
T-2228	9" Planer	Select	$\frac{5}{8}$ "	8.95
T-2229	10" Planer	Select	$\frac{5}{8}$ "	11.95
T-2309	9" Rip	Select	$\frac{5}{8}$ "	5.45
T-2310	10" Rip	Select	$\frac{5}{8}$ "	5.95
T-2311	12" Rip	Select	$\frac{5}{8}$ "	7.50
T-2918	8" Plywood Veneer	Specialty Select	$\frac{5}{8}$ "	5.95
T-2919	8" Cabinet Thin Rim	Specialty Select	$\frac{5}{8}$ "	5.95
T-2920	10" Plywood	Specialty Select	$\frac{5}{8}$ "	10.95
T-2921	8" Plywood	Specialty Premium	$\frac{5}{8}$ "	11.95
T-2922	10" Plywood Veneer	Specialty Premium	$\frac{5}{8}$ "	19.50
T-2860	6" Quick Set Dado		$\frac{5}{8}$ " & $\frac{3}{4}$ "	24.95
T-2858	6" Dado, Hollow Ground		$\frac{5}{8}$ "	25.95
T-2859	8" Dado, Hollow Ground		$\frac{5}{8}$ "	74.95
T-2856	6" Dado, Flat Ground		$\frac{5}{8}$ "	16.95
T-2857	8" Dado, Flat Ground		$\frac{5}{8}$ "	24.95
T-2890	9" Quick Set Dado		1"	49.95

We carry a complete stock of Black & Decker/DeWalt Quick-set* dados, accessories and Radial arm saw blades. *T.M. Black & Decker Mfg. Co.