



ADVERTISED ON




PRICE 25¢

**DEWALT**®

**WORLD'S MOST WANTED  
POWER TOOLS**





10" BLADE  
CUTS 3" DEEP

**MODEL R-1450  
DELUXE POWER SHOP  
with exclusive  
top circle of control.  
All controls up front  
for easy handling and safety.**

**MODEL R-1450** Deluxe Power Shop is ruggedly built on heavy gauge steel base. Big work table of warp-resistant "HARDPLY" prevents saw overhang. Column is electro-plated to prevent rust. Uniform cantilever arm rotates 180° horizontally and locks at any miter angle. Bevel pin provides for quick and accurate setting at 0°, 45° and 90° positions. Mechanical alignment adjustments provide for lifetime accuracy. Roller Head rides on two (2) precision

machined tracks inside arm on four (4) shielded, lubricated for life, ball bearings—Yoke swivels 360° horizontally. Steel locator pin for rip cutting automatically locates in-rip and out-rip positions. Black & Decker/DeWalt built totally enclosed, direct drive, fan cooled motor has automatic built-in motor brake. Motor has 5/8" diameter front arbor and rear arbor threaded for right hand tool chuck.

### SPECIFICATIONS MODEL R-1450


Motor ..... 120/208-240V., 1 ph.  
 Motor Rating ..... delivers 2¼ HP  
 Motor Enclosure ..... total  
 Full Load Speed—60 cycles AC ..... 3450 R.P.M.  
 Standard Guard ..... 10"  
 Standard Blade ..... 10"  
 Arbor Size ..... 5/8" x 1½" long  
 Maximum Depth of Cut ..... 3"  
 Cross Cut Capacity—1" stock ..... 14½" (with 10" blade)  
 Spindle Dado Capacity—Width ..... 1⅞"  
 Ripping Capacity—Width ..... 24⅞"

Bevel Locating Pin ..... 0°, 45°, 90°  
 Miter Locating Latch ..... 0° and 45° R or L  
 Scales ..... Miter, Rip, Bevel  
 Column Diameter ..... 2¾"  
 Steel Table Size ..... 18" x 21½"  
 Work Table Overall Size ..... 26" x 32" HARDPLY  
 Height Work Table, R-9362 Cabinet ..... 37"  
 Height Work Table on R-1201 Legs ..... 35"  
 Net Weight ..... 143 pounds  
 Gross Shipping Weight ..... 156 pounds

Only DeWalt "cut-tests" every Power Shop at the factory before shipment so that it is in perfect working order when you get it.




This guarantee applies to all Black & Decker/DeWalt products.




**FRONT PUSH-BUTTON SWITCH** with Safety-Key Lock for fingertip control.



**NEW MICRO-POSITIVE RIP LOCK** with dual pointers and large rip scales.



**FRONT MITER SCALE** at eye-ease level for fast, accurate setting.




**BIG NEW 32" x 26" WORK TABLE** is made of warp-resistant **HARDPLY**.



**TOP FRONT ELEVATION CONTROL** above arm for easy and safe operation.



**EXCLUSIVE SEALED-FOR-LIFE BALL BEARING ROLLER HEAD** rides inside arm on precision machined tracks.




**FRONT SINGLE MITER CONTROL** locks arm at any angle. Automatic locating at 0° and 45°.




Black & Decker/DeWalt built, **TOTALLY ENCLOSED DIRECT DRIVE MOTOR** delivers **FULL POWER**.




**FRONT SINGLE RIP CONTROL** automatically locates both in-rip and out-rip positions.




**DUAL-ARBOR MOTOR SHAFT** increases job versatility, permits use of right hand tools.




**FRONT SINGLE BEVEL CONTROL** provides for quick and accurate settings at 0°, 45° and 90°.




**RUGGED BOX FRAME** and center support channels with cross ribs are heavy gauge steel.



**FRONT TABLE CLAMPS** quickly releases the fence for wide panel ripping.



**ROTO-GRIP MOTOR BRAKE** operates automatically, stops cutting tool in seconds for safety.




**MODEL R-1250  
POWER SHOP  
9" BLADE CUTS 2 1/2" DEEP**




**FRONT PUSH-BUTTON SWITCH** with Safety-Key Lock for fingertip control.




**EXCLUSIVE TOP ELEVATION CONTROL** gives you precise depth adjustments with eight section column cap at 1/4" increments.



**EXCLUSIVE WEDGE-LOK MITER LOCATOR** locks positively at 0° and 45°. Scale marked in single degrees.




**FRONT SINGLE RIP CONTROL** automatically locates both in-rip and out-rip positions.



**FRONT SINGLE BEVEL CONTROL** provides for quick and accurate settings at 0°, 45° and 90°.



Direct drive fan cooled motor with **MANUAL PUSH BUTTON BRAKE** stops cutter in seconds.



**DUAL-ARBOR MOTOR SHAFT** increases job versatility, permits use of right hand tools.

**MODEL R-1250** Power Shop includes rugged, heavy gauge steel base that supports large work table of warp-resistant NOVAPLY. Column is electro-plated to prevent rust. Uniform cantilever arm rotates 180° horizontally and locks at any miter angle. Front single bevel control for quick and accurate setting at 0°, 45° and 90° positions. Front single rip control for fast positioning of saw head. Roller Head rides on two (2) precision machined tracks inside arm on four

(4) shielded, lubricated for life, ball bearings—Yoke swivels 360° horizontally. Steel locator pin for Yoke cutting automatically locates in-rip and out-rip positions. Black & Decker/DeWalt built, direct drive, fan-cooled motor with manual push-button brake. Motor has 5/8" diameter front arbor and a rear arbor threaded for right hand tool chuck. Combination push-button panel and safety-key lock switch.


## SPECIFICATIONS MODEL R-1250

Motor	120 V., 1 ph.
Motor Rating	delivers 2 HP
Full Load Speed—60 cycles	3425 R.P.M.
Standard Guard	9"
Standard Blade	9"
Arbor Size	5/8" x 1 1/2" long
Maximum Depth of Cut	2 1/2"
Cross Cut Capacity—1" stock	13" (with 9" blade)
Spindle Dado Capacity—Width	1 3/16"
Ripping Capacity—Width	25"

Bevel Locating Pin	0°, 45°, 90°
Miter Locating Latch	0° and 45° R or L
Scales	Miter, Rip, Bevel
Column Diameter	2 3/4"
Steel Table Size	18" x 21 1/2"
Work Table Overall Size	21 1/16" x 32" NOVAPLY
Height Work Table, R-9362 Cabinet	37"
Height Work Table on R-1201 Legs	35"
Net Weight	125 pounds
Gross Shipping Weight	138 pounds

*Former Hardware  
Shawano, Wis*

*1 indicator  
bevel*



**MODEL R-1150 HOME SHOP  
8" BLADE CUTS 1<sup>15</sup>/<sub>16</sub>" DEEP**


**THE VERSATILITY OF A RADIAL ARM SAW AT A TABLE SAW PRICE.**

**MODEL R-1150** Home Shop. One-piece steel base and frame for maximum rigidity supports large NOVAPLY work table. Arm is tubular steel mounted directly to frame. Roller head rides on two formed steel tracks on shielded ball bearings that are lubricated for life. Massive one-piece hub eliminates "play" and houses both elevating and mitering mechanisms, and gives the Home Shop its superior accuracy and simplicity of adjustment. Column and arm are cadmium plated. Arm rotates 180° vertically with positive bevel indexing latch at each 45° position; also rotates 360° horizontally with positive indexing latch at 45° left and right hand miter positions. Large bevel rip, bevel crosscut and miter scales are easy to read. Mechanical alignment adjustments provide for lifetime accuracy. Eight-inch blade and guard and up-front safety-key switch included.

Massive one-piece hub for rigidity.

Elevating and mitering adjustments built into hub for superior accuracy and simplicity.

Extra-strong, one-piece, tubular steel column mounted directly to frame.




Roller head rides on two formed steel tracks for precision cutting.

**SPECIFICATIONS MODEL R-1150**

Motor ..... 120 V., 1 ph.  
 Motor Rating ..... delivers 1<sup>1</sup>/<sub>4</sub> HP  
 Full Load Speed—60 cycles AC ..... 3425 R.P.M.  
 Standard Guard ..... 8"  
 Standard Blade ..... 8"  
 Arbor Size ..... 5/8" x 1<sup>1</sup>/<sub>2</sub>" long  
 Maximum Depth of Cut ..... 1<sup>15</sup>/<sub>16</sub>"  
 Crosscut Capacity—1" stock ..... 12<sup>1</sup>/<sub>4</sub>"  
 Spindle Dado Capacity—Width ..... 1<sup>3</sup>/<sub>16</sub>"


Ripping Capacity—Width ..... 24<sup>1</sup>/<sub>8</sub>"  
 Bevel Locating Pin ..... 0°, 45°, 90°  
 Miter Locating Latch ..... 0° and 45° R or L  
 Scales ..... Miter, Bevel, Bevel Rip  
 Column Diameter ..... 2<sup>1</sup>/<sub>16</sub>"  
 Work Table Overall Size ..... 20" x 32"  
 Height Work Table on Legs ..... 35"  
 Net Weight ..... 78 pounds  
 Shipping Weight ..... 85 pounds




**MODEL R-1511  
BUILDER'S DeWALT  
10" BLADE CUTS 3" DEEP**




**FRONT PUSH-BUTTON SWITCH** with Safety-Key Lock for fingertip control.




Black and Decker-DeWalt built, **TOTALLY ENCLOSED DIRECT DRIVE MOTOR** delivers FULL POWER.




**DUAL-ARBOR MOTOR SHAFT** increases job versatility, permits use of right hand tools.




**ROTO-GRIP MOTOR BRAKE** operates automatically, stops cutting tool in seconds for complete safety.




**EXCLUSIVE SEALED-FOR-LIFE BALL BEARING ROLLER HEAD** rides inside arm on precision machined tracks.



**NEW MICRO-POSITIVE RIP LOCK** with dual pointers and large rip scales.



**EXCLUSIVE TOP ELEVATION CONTROL** gives you precise depth adjustments with eight-section column cap at 1/4" increments.



**EXCLUSIVE WEDGE-LOK MITER LOCATOR** locks positively at 0° and 45°. Scale marked in single degrees.

**MODEL R-1511** Builder's DeWalt is a heavy duty unit designed for the contractor and builder. Makes 15° angle cuts up to 16" long. Heavy gauge steel base and legs support a work table of edge grain fir. Provision in table for No. R-1502 Table Extension Kit. Column is electro-plated to prevent rust. Uni-form cantilever arm rotates 360° horizontally and locks at any miter angle. Bevel latches provide quick and accurate settings at 0°, 45° and 90°. Mechanical alignment adjustments provide for life time accuracy.

Roller head rides inside arm on four (4) shielded, lubricated for life, ball bearings. Yoke swivels 360° horizontally. Quickly locates with steel inserts at each 90° position for right and left hand ripping.


Black & Decker/DeWalt built totally enclosed, direct drive, fan-cooled motor has automatic built-in motor brake. Motor has 5/8" diameter front arbor and 7/8" rear arbor. Combination safety-key lock switch and push-button station is built into end of arm.

### **SPECIFICATIONS MODELS R-1511, R-1513\***

(All Machines have 5/8" saw arbor and 7/8" R.H. tool arbor)  
 Saw Blade Supplied with Machine ..... 10"<sup>1</sup>  
 Saw Guard Supplied with Machine ..... 10"<sup>1</sup>  
 Motor: Delivered HP (3450 R.P.M.—60 cy., 1 ph.) ..... 3\*  
 Brake ..... Automatic  
 Switch ..... Push-Button/key\*  
 Voltage ..... 120/208-240\*  
 Maximum Cross-Cut—1" stock ..... 16"  
 Maximum Depth of Cut ..... 3"  
 Maximum Width of Rip ..... 27"  
 Maximum Depth of Cut at 45° bevel ..... 2 1/4"<sup>2</sup>  
 Miter Locating Latch ..... 0° and 45° R or L

Bevel Locating Pin ..... 0°, 45°, 90°  
 Table: Material ..... edge grain fir  
 Work Top Dimensions ..... 25" x 34 1/2"  
 Frame Dimensions (Base of Table) ..... 26" x 32"  
 Height: Machine on legs ..... 33"  
 Net Weight ..... 240 pounds  
 Shipping Weight ..... 285 pounds  
<sup>1</sup> Standard saw blade is 10" dia. Accessory 12" saw guard will accommodate 12" saw blade and give 4" deep cut.  
<sup>2</sup> 2 7/8" with 12" blade.


\*Model R-1513—Same as R-1511 except 3 phase 208-240/440 V. motor, 60 cy. with magnetic switch, with low voltage (end of arm) 110 V. control.




**MODEL R-132  
10" DIRECT DRIVE SAW**

Includes 10" saw blade, miter gauge, fence, motor and switch. Cadmium plated steel extension rails left and right. LEG STAND AND SAW GUARD OPTIONAL. Use HARDPLY or Plywood for Suggested Table Inserts.


**READY TO RUN!** Powerful Model R-132 delivers 2<sup>1</sup>/<sub>4</sub> direct drive horsepower. SELF-CONTAINED . . . motor and saw cradle are unit-designed to be compact and rigid. MORE EFFICIENT, NO SLIPPAGE . . . because there are no pulleys, no belts, no gears. LESS MAINTENANCE . . . spindle pulley, V-belt and motor mounting bracket have been completely eliminated. UP FRONT CONTROLS . . . so handy and easy to operate. LIGHTER . . . all unnecessary parts have been designed out. SAFER . . . no motor overhang and no hazardous exposure to pulley or belt. AUTOMATIC BUILT-IN MOTOR BRAKE . . . stops the saw blade in seconds.



Standard Saw rips 28" to right of blade without extension.



Maximum rip to right: 49" with Extra Wide Extension No. R-137.



Self-contained motor and saw-cradle form integral compact unit.

**SPECIFICATIONS MODEL R-132**

Diameter of Arbor—5/8"-18—R.H. Thread . . . . .	5/8"
Diameter of Saw Blade . . . . .	10"
Maximum Depth of Cut—90° . . . . .	2 11/16"
Maximum Depth of Cut—45° . . . . .	1 29/32"
Maximum Rip to Right of Blade . . . . .	28"
Maximum Rip to Right with Extension Table . . . . .	49"
Maximum Rip to Left of Blade . . . . .	14"
Distance from Front of Table to Center of Blade . . . . .	17"
Table in Front of Blade at Maximum Cut . . . . .	12 3/4"
Maximum Cut-off (1" stock) . . . . .	13 1/2"
Maximum Width of Dado Cut . . . . .	1 3/16"
Table Height (with leg stand No. R-138) . . . . .	34"

Table Size . . . . .	21" x 27"
Table Size for Wide Ripping (overall dimensions with table extension) . . . . .	27" x 71"
Slot Miter Gauge Groove in Table . . . . .	1/4" x 3/4"
Rip Fence Locked both Front and Back by Single Operating Handle at Front of Machine	
Blade Drive Direct . . . . .	3450 R.P.M.
Motor Speed (frame 237) . . . . .	3450 R.P.M.
Motor Specifications . . . . .	develops 2 1/4 H.P.
	60 cy., 1 ph., 120/208-240
Shipping Weight . . . . .	165 pounds
Net Weight . . . . .	148 pounds



## DEWALT® GIVES YOU UNLIMITED FLEXIBILITY SIMPLICITY PLUS ACCURACY FOR ALL SAW CUTS

DEWALT Woodworking and Metalcutting multipurpose machinery have served the needs of Industrial Plants, Lumber Yards, Cabinet Makers, Woodworking Shops, Contractors, Jobbing Carpenters and many others since 1922. These experienced men whose business depends on day after day steady, accurate work will tell you that DEWALT can't be matched for any kind of woodworking, whether you plan to build a home, fine furniture, do needed repairs or undertake major remodeling work.

NOW . . . you can have this same industry-tested quality in the NEW DEWALT, especially designed for home use—and at amazingly low cost. You'll be years ahead following the lead of experts using DEWALT . . . everywhere known and accepted as the ONE really safe, accurate, easy-to-use machine.

DEWALT TOP SIDE CUTTING is the practical

answer to your sawing needs. The saw is never hidden beneath the material . . . you always know where it is, and your layout marks are in clear view at all times. Notice also that the material always lies flat on a stationary rigid table at a fixed height. 90% of SAWDUST IS DISPOSED OF TO REAR OF MACHINE AWAY FROM OPERATOR. Just think how easy it is to handle that extra long material—and at great savings because you'll have no work spoilage. DEWALT belongs in your shop.

You are protected by the adjustable DEWALT Safety Guard that is always in position, but never in the way. You just can't beat the DEWALT for unlimited, safe saw work.

At right, are a few of the many blade cuts you can make . . . ACCURATELY, EFFORTLESSLY, just like the "pros."






### CROSSCUTTING

Top side cutting action firmly and safely holds the lumber on table and against the fence without kickbacks.



### SHADOW BOX CUT

Set arm at 30° R.H. miter, tilt saw 35° PLUS on bevel . . . then duplicate cuts for each end, position stock as needed.




### MITER CUTS

Simply set the arm at the desired angle and the problem of picture frames, boxes, etc., is solved. One motion does it.



### DIAMOND SHAPES

After bevel ripping stock into "V" strips, set motor at 45° R.H. miter and 45° bevel. Makes beautiful patterns.




### RIP CUT

It's a snap to set your saw for ripping to desired width. No need for pencil marks—because your DEWALT measures for you instantly.



### CURVING WOOD

Lower saw within 3/32" of bottom of stock and cut across, keeping kerfs about 1/4" apart at point where curve is desired. Easy with DEWALT.




### WIDE PANEL RIPPING

Install plywood blade for extra smooth cut. Big safety table provides extra support for ripping beyond center of 4' x 8' panels.




### SAUCER CUT

Clamp stock to table, bevel saw through material several times until desired depth is reached. Makes intricate decorative patterns easily.



### BEVEL CROSS-CUT

By tilting the saw to the precise, desired angle, your DEWALT makes this difficult cut in a single pass.




### CUTS ALUMINUM

Install metal cutting blade. Cuts all types of aluminum tubes, extrusion and other types of light metals. Ideal for making storm windows and screens for the house.




### BEVEL MITER

Combining the two operations of mitering and beveling is a simple matter. Set the arm to desired angle, bevel the saw, and move the saw across your work.




### GROOVING

With material flat on the table and fed against fence, you have complete control over your work . . . and the result is perfect grooving.



### BEVEL RIP

A setup commonly used in making modern-type drawer pulls, concealed joints, and many other bevel requirements in woodworking.




### RAISED PANELS

An easy way to make expensive millwork for panelled walls, cabinet doors, special drawer fronts. Use planer blade for best results.



### CIRCLE CUTTING

Simply tilt and rotate the motor in a 360° arc while slowly lowering the blade into the saw cut. Bevel of motor determines diameter.



### LOCK JOINT CUT

Set motor in vertical position. Place two pieces of wood on edge on special jig fixture of two inch material. Slit edges by cutting past stock at desired increments.

# DADO WORK

DEWALT GIVES YOU UNMATCHED VERSATILITY FOR DADO OPERATIONS



Mount Dado Head on arbor, make sure inside cutters are spaced alternately as shown to allow clearance for cutting teeth. Select and Professional quality dado heads are available in 6" and 8" sizes.


Here again DEWALT TOP SIDE CUTTING action saves you money because errors will not be made. You see the layout marks and you actually see the cut being made as the Dado Head moves across the top of the material.

The elevating handle on top of the arm gives you precision depth control. Each full turn lowers the Dado Head exactly  $\frac{1}{8}$  inch into the stock. No ruler is necessary . . . the cuts are uniform depth the entire length of the cutting stroke. No stooping or squinting to look underneath the stock to check the cut. Any width Dado can be made with an inexpensive Dado set because you can cut both ways . . . back and forth.




## STRAIGHT OR ANGLE DADO

operations are quickly accomplished with professional quality. Width of cut from  $\frac{1}{8}$ " to  $\frac{13}{16}$ " in a single pass of the cutter.




## DOUBLE TENONING

Spacer collars used with Dado Head, allow you to make single or double tenons with one pass across the end of material.



## PLOUGHING

Cutting a set depth and width, full length of stock with great accuracy is a big feature on the DEWALT.




## TONGUE AND GROOVE

Make your own flooring, and wood panels, simply by using Dado inserts with collars to exact dimension needed.




## FLUTING

Simply a series of parallel "V" grooves, for decoration. Used to simulate pillars, columns or mantels.




## BLIND MORTISING

A fast, effective way to make a groove into which a tenon can be fitted and locked.



## BEVEL RABBET CUT

Simply tilt the motor to desired angle for bevel rabbeting; for straight rabbeting.



## SCALLOPING

Feed the stock against the Dado as shown and put unusual scallop design on your window valances.

# SHAPING WORK

DEWALT TILTING ARBOR SHAPER GIVES YOU 50% MORE SHAPES PER CUTTER



It's easy to put shaper cutter head right on the motor spindle. After locking arbor nut, mount tool guard—and do shaping work with complete safety.

GIVES you 50% more shapes per cutter . . . saves you the cost and space of a single spindle shaper . . . and the work is done in complete safety with patented safety guard.


You have a choice of three cutter head types with wide range of knives . . . See page 15 for details.

**R-6488.** Our professional quality 2 knife head for day after day service with minimum re-sharpening need.

**R-6500.** A select quality 3 knife shaper head for bench and radial saws.

**R-100.** Series—A select quality solid twist cutter for the economy minded.


Use No. R-119826 DEWALT Safety Tool Guard wherever illustrated.



**CABINET DOOR LIP CUT**  
Make the full bead and rabbet cut in a single smooth operation instead of two separate cuts. This is a DEWALT ORIGINAL operation.



**MAKING STAIR TREADS**  
A full sized nosing cutter puts the half round shape along edge of the stair tread, a highly important millwork operation done at home.



**TILTING ARBOR SHAPER**  
Push the shaper cutter in or out . . . raise or lower . . . or tilt to any angle and you quickly multiply the number of different shapes from a single cutter.



**IRREGULAR SHAPING**  
Can be accomplished with any one of above shaper heads and special home-made guide collar.




**SHAPER MOULDER**  
Makes decorative designs on edge, side or face of material because the cutter can be easily set to any desired angle. Designs limited only by your imagination.



**DROP-LEAF SHAPE**  
Make mouldings for drop-leaf tables, buffets, servers and other furniture. Refer to accessory section for other moulding cuts you can make easily and safely.



**PRECISION CHAMFER CUT**  
Use straight edge cutter knives in the moulding head. Bevel the motor to the angle desired. Push the stock past the cutter for clean, smooth chamfer cuts.




**GLUE JOINT CUT**  
The Power Shop gives you even greater flexibility in shaping operations. It's easy to glue wide boards together to make your own table top.

# DEWALT®

## DOES EVERYTHING IN WOODWORKING


SAWING □ SIZING □ BORING □ JOINTING  
□ DADOING □ SHAPING □ CURVE WORK  
□ ROUTING □ GRINDING □ BUFFING □  
TURNING □ SURFACING □ POLISHING □  
SANDING

OPERATIONS ARE UNLIMITED ON YOUR NEW DEWALT POWER SHOP. Every day we receive letters from new DEWALT owners enthusiastically describing a special job they are doing on their POWER SHOP . . . jobs that even we, with our 45 years' experience, are just hearing about because users have solved a particular problem hitherto impossible with ordinary tools. The more you use your new DEWALT POWER SHOP, the more uses you will find for it . . . the number of its operations are limited only by your own ingenuity.




Simply thread Disc Sander on front arbor, against both collars.

Thread Chuck R-1208 on rear motor arbor after inserting and locking drill.




### IT'S A JOINTER

Here the No. R-9220 SHAPER JOINTER FENCE has been adjusted for a typical jointing cut on a piece of 5/4" stock. Notice Tool Guard completely encloses cutter.




### IT'S A LATHE

Quickly mounted in working position on table. Power driven by DEWALT motor or can be used as separate bench lathe. Capacity 3" between centers, 12" swing.




### SIZING

Clamp guide fence to front of regular table, position cutter for depth of cut and pass board through for perfect sizing every time.




### IT'S A BUFFER

A handy buffing wheel on the shaft shines up all kinds of articles, brings out the natural, beautiful glow in hardwood picture frames.



### IT'S A GRINDER

A very necessary, quick-change tool for sharpening household cutlery and your own woodworking chisels, and lathe chisels.



### IT'S A ROUTER

You rout with real precision when you own the DEWALT Power Shop. Because motor travels in arm, free of play, you can be sure of perfect cuts every time.




### IT'S A SURFACER

By using the revolutionary new rotary planer, your DEWALT Power Shop can quickly cut boards down in thickness.




### IT'S A WIRE WHEEL POLISHER

Use this handy wire wheel to clean rust off tools and other metals.




### BEVEL SANDING

Put Disc Sander into bevel position and pull across the stock setting on a fixture . . . DEWALT is the only sander that does this.




### SURFACE SANDING

With Disc Sander tilted 90° and parallel to table, irregular rough stock can be given fine, smooth finish. Always use Tool Guard.



### STRAIGHT EDGE SANDING

Set Disc Sander parallel with guide fence. Push stock past for edge work. A highly effective finisher.




### IT'S A DRUM SANDER

Sanding inside curves or irregular shapes is easy for the new DEWALT. Two drum sizes available.


## ▲ TILTING ARBOR DISC AND DRUM SANDER

Here's a highly efficient sander unmatched for "finishing" operations. You can lock the head parallel to the guide fence and push the stock. Or, you can pull the sander across the stock at any desired angle giving you unlimited uses.




### END BORING

the stock for insertion of dowels to hold corners for doors and windows.



### MITER BORING

angle-cut ends of picture frames gives you a stronger joint with dowel pins.



### EDGE BORING

sides of table tops for proper alignment of dowel pins.



### HORIZONTAL BORING


into material for beautiful decorative effects.

## ▲ BORING

You'll appreciate these bonus values in your DEWALT POWER SHOP. Versatility in Boring and Routing operations unequalled by any drill press. Screw special chuck No. R-1208 on rear motor arbor and insert the drill or router bit for the job to be done.


## ▼ SABRE SAW

Your DeWalt becomes a sabre saw for curve work. Saves you the cost of a separate jig saw or band saw . . . Lightweight, compact, so easy to setup. Operates directly from motor arbor with no power loss. Minimum vibration allows smooth and intricate cutting of wood, plastic and light metal.




NO. R-201327 SABRE SAW  
Mounts directly on Motor.

Does Outside Curve Work.




Does Inside Curve Work.



Does Angle Curve Work.

# DEWALT® ENGINEERED ACCESSORIES

## POPULAR DEWALT ACCESSORY GROUPS




### ACCESSORY GROUP R-1427

- 1 R-201303 Grinding Guard Kit
- 1 R-352 Cup Wheel
- 1 R-402 Grinding Wheel
- 1 R-429 Polishing and Buffing Set with Pegboard and Hooks.



### ACCESSORY GROUP R-1428

- 1 R-119826 Tool Guard
- 1 R-6502 Shaper Set includes:
  - 1 R-6500 Shaper Head
  - 1 R-6505 Set Glue Joint Knives
  - 1 R-6515 Set Cabinet Door Lip Knives
- 1 R-6617 Set 3/8" Bead and Cove Knives
- 1 R-6522 Set Triple 1/4" Bead Knives with Pegboard and Hooks.



### ACCESSORY GROUP R-1429

- 1 R-6024 Dado
- 1 R-7470 Disc Sander
- 1 R-996 Plywood Blade
- 1 R-201327 Saber Saw Attachment with Pegboard and Hooks.



### ACCESSORY GROUP R-1430

- 1 R-6024 Dado
- 1 R-7470 Disc Sander
- 1 R-201327 Saber Saw
- 1 R-119826 Tool Guard
- 1 R-6488 Shaper Head
- 1 R-3076 Shaper Knives
- 1 R-1209 Boring Set with 3/8" chuck
- 1 R-201792 Book plus Wall Storage Cabinet with sliding doors.

## CABINET—LEG STANDS



**R-9362** Deluxe Utility Cabinet. For Power Shop models.



**R-9361** Utility Drawer. For R-9362 Cabinet, complete with mounting hardware.



**R-9363** Caster Set (4). For R-9362 Cabinet and R-1105 Leg Stand. Includes toe-locking type casters.



**R-1201** Leg Stand. For all Power Shop models.



**R-203257** Pro-Tec-To Top. Scaled 1/4" plywood overlay for table tops. (13" x 32"). Packed 6 to a carton. Single units available only from dealer.




**R-1105** Home Shop Leg Stand without drawer.

**R-1106** Utility Drawer for R-1105.



**R-138** Leg Stand for R-132.



**R-137** Extra-wide extension table for R-132.



**R-8040** Work Light.




**R-1441** Newest ways to expert woodworking. A complete guide to power tool techniques. 196 pages. Designed to lay flat when open for easy reference.

## JOINTER HEADS, SHAPER HEADS, CUTTERS, KNIVES



**Jointer Cutter Head**, solid 4-wing, includes special 5/8" L.H. thread arbor nut.

**R-3472** 2" dia. x 2" long Jointer Cutter.




### 2-Knife Shaper Head

**R-6480** 2-Knife Shaper Head, 5" long x 1 1/2" wide x 7/8" thick, 5/8" arbor hole.

**R-6487** 2-Knife Shaper Head cutter set. Includes R-6480 head and 3 sets of knives, Nos. R-3076, R-6477, R-6478.

**R-6492** 2-Knife Shaper Head cutter set. Includes R-6488 head and 3 sets of knives, No. R-3076, R-6477, R-6478.

**R-6488** 2-Knife Head, 5" x 1 1/2" x 5/8" x 5/8" Bore.




- R-3067** 3/8" Quarter Round Knives
- R-3068** 3/8" Bead and 3/8" Cove Knives
- R-3069** 3/8" Cove and 3/8" Bead Knives
- R-3070** Nosing Cutter, 3/8" Nose Knives
- R-3071** Nosing Cutter, 5/8" Nose Knives
- R-3072** Nosing Cutter, 3/8" Nose Knives
- R-3073** Ogee Moulding 3/8" Bead and Cove Knives (combined)
- R-3074** Nosing Cutter, 1 1/4" Nose Knives
- R-3075** 5/8" Quarter Round Knives
- R-3076** 3/8" Bead and 3/8" Cove Knives
- R-3077** 3/8" Cove and 3/8" Bead Knives
- R-3078** Fluting Cutter 3/8" Knives
- R-3079** Fluting Cutter 3/8" Knives
- R-6463** 3/4" Quarter Round Knives, Series R-8065
- R-6469** Glue Joint Knives
- R-6470** Drop Leaf Table, combination Knives
- R-6471** Tongue and Groove 1" Flooring Combination Knives
- R-6472** Miter Lock Joint Combination Knives
- R-6473** Panel Raising Knives
- R-6477** 2" Jointing, surfacing and panel raising Knives
- R-6478** Cupboard Door Lip Knives, 3/8" radius, 7° rake
- R-6481** Sticking Mould Shape knives
- R-6482** Cope-long Tenon knives
- R-6483** Screen Mold knives
- R-6484** Sticking Knives for 1 3/8" stock
- R-6485** Full cope knives for 1 3/8" stock
- R-6486** Cope-long Tenon knives
- R-6489** Cupboard Door Lip Knives, straight 7° rake

NOTE: 3/8" thick knives listed are grooved 1/4" thickness to fit No. R-6480 & R-6488 Shaper Head. These knives also available in carbide tipped type on special order. (Inquire about other shapes you may need.)



### 2 Wing Shaper Cutters, 5/8" arbor hole



- R-101** Tongue Cutter
- R-102** Groove Cutter
- R-103** Ogee Cutter for casings
- R-104** Combination Cutter
- R-105** Baseboard Cutter
- R-106** Panel Cutter
- R-107** Straight Cutter
- R-108** Universal Bead Cutter
- R-109** Drop Leaf Table Cutter
- R-110** Ogee Cutter
- R-111** Cupboard Door Cutter
- R-112** Sash, Rabbit Cutter
- R-113** 3/8" Bead, 3/8" Cove Cutter
- R-114** 3/4" x 3/4" Quarter Round Cutter
- R-115** Glue Joint Cutter



**R-6500** 3-Knife Shaper Head for Bench and Radial Saws. 1/2", 5/8" or 3/4" arbor hole.

**R-6501** 3-Knife Shaper Head Set:

- 1 **R-6500** Head
- 1 **R-6505** Knives Glue Joint
- 1 **R-6512** Knives Universal Bead
- 1 **R-6515** Knives Cabinet Door Lip
- 1 **R-6517** Knives 3/8" Bead and Cove

(Set of 3 Knives):

- R-6505** Glue Joint
- R-6506** "OC" Casing Cutter
- R-6507** 1/4" Flute-1/2" Cove
- R-6508** 90° Flute
- R-6509** 3/8" Qtr. Rd. & Flute
- R-6510** 1" Rd. Flute
- R-6511** Drop Leaf Table
- R-6512** Universal Bead
- R-6513** 3/8" Cove Cutter
- R-6514** Panel Cupboard Door
- R-6515** Cabinet Door Lip
- R-6516** Window Sash Cutter
- R-6517** 3/8" Bead and Cove
- R-6518** 1" Straight Cutter
- R-6519** Tongue Cutter
- R-6520** Groove Cutter
- R-6521** 1/4" and 1/2" Qtr. Rd.
- R-6522** Triple 1/4" Bead
- R-6523** Screen Mold Cutter
- R-6524** Base Mold Cutter

## ABRASIVE, GRINDING AND BUFFING WHEELS

**Cut-Off Wheels**, 5/8" bore

- R-69** For cutting Ceramics—8" dia. x 3/2" thick
- R-70** For cutting Steel—8" dia. x 3/2" thick

**Cup Wheels**, 5/8" bore

- R-352** 3 1/2" dia. x 2" wide, medium grit
- R-353** 3 1/2" dia. x 2" wide, fine grit

**Grinding Wheels**, 5/8" bore

- R-402** 6" dia. x 1 1/2" thick
- R-403** 4" dia. x 3/4" thick

**Buffing Wheels**, 5/8" bore

- R-427** 6" dia. Cloth Buffers
- R-428** 6" dia. Wire Brush

**R-429 Polishing & Buffing Set**, cloth wheel & (4) Bars, Compound

**R-430 Buffing Compound Bars** (set of 4)

## SANDERS, DISC AND DRUM TYPE

**Disc Sanders**, 5/8" L.H. 18 thread hole.

**R-7470** 8" dia. Sander Disc Set (includes bevel edge disc, one 8" dia. pressure sensitive sandpaper disc No. 60 grit).

**R-467** 6 assorted 8" pressure sensitive sandpaper discs (1 No. 50, 2 No. 60, 3 No. 80 grits)

**Disc Sand Paper**, 8" diameter.

**R-464** No. 80 grit pressure sensitive (set of 6)

**R-465** No. 60 grit pressure sensitive (set of 6)

**R-466** No. 50 grit pressure sensitive (set of 6)


**Drum Sanders**, no adapter necessary.

**R-201275** 2 1/2" dia. Drum Sander, 3" long, 3/8" R.H. thread for models 925, 1030, R-1200, R-1400, R-1500.

**R-7468** 2 1/2" dia., 3" long, Drum Sander, 5/8" L.H. thread for models R-1100, R-1250, R-1450.

**R-201274** 1" Drum Sander, 3" long, 3/8" R.H. thread for models 925, 1030, R-1200, R-1400, R-1500.

**R-7473** 1" Drum Sander, 3" long, 5/8" L.H. thread for models R-1100, R-1250, R-1450.



# DeWALT® ENGINEERED ACCESSORIES





## SAW BLADES.

DeWalt saw blades are specially designed for maximum performance. Remember – it is the blade that does the cutting. For complete satisfaction insist on DeWalt quality saw blades.

**IMPORTANT! . . . ALWAYS KEEP YOUR SAW BLADES SHARP.** DeWalt saw blades are available in two qualities.

**Premium quality** – A top quality blade made of the finest chrome nickel steel, tensioned for the ultimate in smooth vibration free cutting. Each tooth is ground to decimal dimensions for longer life. **Select quality** – A good quality blade made from a special steel, scientifically treated and accurately ground to a fine finish – A popular priced blade.

### RADIAL AND BENCH SAW BLADES

		QUALITY	BORE	TEETH	
	R- 993	7" Plywood Veneer	Select	5/8"	200
	R- 994	7" Cabinet Thin Rim	Select	5/8"	52
	R- 995	8" Comb. Cabinet Thin Rim	Select	5/8"	52
	R- 996	8" Plywood Veneer	Select	5/8"	176
	R-1035	8" Plywood, Hollow Ground	Premium	5/8"	180
	R-1037	8" Combination, Chisel Tooth	Select	5/8"	26
	R-1038	8" Combination, Chisel Tooth	Premium	5/8"	26
	R-1010	8" Planer, Hollow Ground 4 cutter, 1 raker	Select	5/8"	60
	R-1266	8" Planer, Hollow Ground 4 cutter, 1 raker	Premium	5/8"	70
					Friction Disc.
	R-1521	8" Ferrous Metal Cutting		5/8"	
	R- 997	9" Combination, Chisel Tooth	Select	5/8"	48
	R-1042	9" Combination, Novelty Tooth 4 cutter, 1 raker	Select	5/8"	65
	R- 954	9" Combination, Novelty Tooth 2 cutter, 1 raker	Premium	5/8"	48
	R-1011	9" Planer, Hollow Ground 4 cutter, 1 raker	Select	5/8"	65
	R-1252	9" Planer, Hollow Ground 4 cutter, 1 raker	Premium	5/8"	70
	R-1425	9" Rip	Select	5/8"	36
	R-1402	9" Rip	Premium	5/8"	32
	R- 988	9" Combination, Carbide Tip		5/8"	8
	R- 990	9" Combination, Hard Tip		5/8"	30
	R-1714	9" Non-Ferrous Metal Cutting		5/8"	100
	R-1041	10" Combination, Chisel Tooth	Premium	5/8"	30
	R-1012	10" Combination, Novelty Tooth 4 Cutter, 1 Raker	Select	5/8"	75
	R- 980	10" Combination, Novelty Tooth 2 Cutter, 1 Raker	Premium	5/8"	54
	R-1013	10" Planer, Hollow Ground 4 Cutter, 1 Raker	Select	5/8"	75
	R-1264	10" Planer, Hollow Ground 4 Cutter, 1 Raker	Premium	5/8"	75
	R-1426	10" Rip	Select	5/8"	36
	R-1420	10" Rip	Premium	5/8"	32
	R- 989	10" Combination, Carbide Tipped		5/8"	8
	R- 991	10" Combination, Hard Tip		5/8"	34
	R-1014	10" Plywood Veneer		5/8"	200
	R- 992	12" Combination, Novelty Tooth 2 Cutter, 1 Raker	Premium	5/8"	60
	R-1034	12" Combination, Chisel Tooth	Premium	5/8"	44
	R-1110	"3-in-1" Saw Blade Package includes: one R-993-7" Plywood Veneer Blade, one R-1010-8" Hollow Ground Planer blade, one R-1037-8" Combination Blade.			
	R-1431	"3-in-1" Blade Package includes: R-1013 Planer Blade, R-1426 Rip Blade, R-996 8" Plywood Veneer Blade.			

### FLOOR SAW BLADES: STATIONARY

R-1000	10" Combination, Carbide Tipped		3/4"-5/8"	8
R-1002	10" Combination, Novelty Tooth 4 Cutters, 1 Raker	Select	3/4"-5/8"	45
R-1003	10" Planer, Hollow Ground 4 Cutters, 1 Raker	Select	3/4"-5/8"	75
R-1173	10" Cross-cut	Select	3/4"-5/8"	104
R-1424	10" Rip	Select	3/4"-5/8"	36

### PORTABLE BLADES

R-1039	6 1/2" Plywood Veneer, Hollow Ground	Premium	5/8"	120
R-1040	6 1/2" Plywood Veneer	Select	5/8"	150
R-1015	6 1/2" Combination, Chisel Tooth		5/8"	20
R-1028	6 1/2" Combination, Hard Tip		5/8"	24
R-1016	6 1/2" Planer, Hollow Ground 4 Cutters, 1 Raker		5/8"	50
R-1026	6 1/2" Planer, Hollow, Hard Tip		5/8"	24
R-1017	6 1/2" Cross-cut		5/8"	90
R-1024	6 1/2" Cross-cut, Hard Tip		5/8"	42
R-1031	6 1/2" Combination, Carbide Tipped		5/8"	
R- 993	7" Plywood Veneer	Select	5/8"	200
R- 994	7" Cabinet Thin Rim	Select	5/8"	52
R-1018	7 1/4" Combination, Chisel Tooth		5/8"	24
R-1019	7 1/4" Planer, Hollow Ground 4 Cutters, 1 Raker		5/8"	50
R-1020	7 1/4" Cross-cut		5/8"	100
R- 995	8" Combination Cabinet, Thin Rim	Select	5/8"	52
R- 996	8" Plywood Veneer	Select	5/8"	176
R-1035	8" Plywood, Hollow Ground	Premium	5/8"	180
R-1021	8" Combination, Chisel Tooth		5/8"	26
R-1029	8" Combination, Hard Tip		5/8"	30
R-1022	8" Planer, Hollow Ground 4 Cutters, 1 Raker		5/8"	60
R-1027	8" Planer, Hollow Ground, Hard Tip		5/8"	50
R-1023	8" Cross-cut		5/8"	96
R-1025	8" Cross-cut, Hard Tip		5/8"	50
R-1032	8" Combination, Carbide Tipped		5/8"	44





## DADO HEADS AND ROTARY PLANER

### DADO'S RADIAL AND BENCH SAWS

**R-6024** 6" Dado Head Set, Flat Ground (2 Blades, 4 Chippers 1/8", 1 Chipper 3/8") No. 3. 5/8" bore.

**R-6001** 6" Dado Head Set, Hollow Ground (2 Blades, 4 Chippers 1/8", 1 Chipper 3/8") No. 3. 5/8" bore.

**R-6025** 8" Dado Head Set, Flat Ground (2 Blades, 4 Chippers 1/8", 1 Chipper 3/8") No. 3. 5/8" bore.

**R-6028** 8" Dado Head Set, Hollow Ground (2 Blades, 4 Chippers 1/8", 1 Chipper 3/8") No. 3. 5/8" bore.

**Spacing Collars, 5/8" arbor hole**

**R-2432** 3/8" thick, Spacing Collar

**R-2433** 1/8" thick, Spacing Collar

**R-2434** 1/4" thick, Spacing Collar

**R-2435** 3/8" thick, Spacing Collar

**R-2437** 1/2" thick, Spacing Collar

**R-6380** Rotary Planer (includes knives and wrench)

**R-6383** Set, two (2) knives for R-6380

## ADAPTERS, BORING BITS AND ROUTER BITS

**R-1208** 3/8" Drill Chuck w/key for models R-1250, R-1450

**R-1209** Drill and Chuck set R-1208, R-1210

**R-1210** 5 pc. Drill set includes 1 each of the following:

**R-1217** 1/4" Spiral Bit (1/4" shank)

**R-1218** 3/8" Spiral Bit (1/4" shank)

**R-1219** 3/8" Spiral Bit (1/4" shank)

**R-1220** 3/8" Spiral Bit (1/4" shank)

**R-1221** 1/2" Spiral Bit (1/4" shank)

**R-201261** Adapter, 3/8" R.H. female thread for 1/4" straight shank bits. 925, 1030, R-1200, R-1400 and R-1500 series.

**R-201262** Adapter, 3/8" R.H. female thread for 1/2" R.H. 20 thread tools. 925, 1030, R-1200, R-1400 and R-1500 series.

**Boring Bits**—1/4" straight shank, R.H., for use with R-201261 Adapter. 925, 1030, R-1200, R-1400 and R-1500 series.

**R-201266** 1/4" Boring Bit (R.H.) spiral type

**R-201268** 3/8" Boring Bit (R.H.)

**R-201269** 1/2" Boring Bit (R.H.)

**R-201270** 5/8" Boring Bit (R.H.)

**R-201271** 3/4" Boring Bit (R.H.)

**R-201272** 7/8" Boring Bit (R.H.)

**R-201273** 1" Boring Bit (R.H.)

**R-3570 Boring Bit Set**, includes R-201261 adapter and all six bits shown above (Nos. R-201268 through R-201273)

**Router Bits**, for use with R-201261 adapter. Special R.H. 1/4" shank.

**R-201263** 3/8" Router Bit (R.H.)

**R-201264** 1/2" Router Bit (R.H.)

**R-201265** 1/2" Dovetail Bit (R.H.)

**R-1109 Boring Bit Set**, includes R-1108 adapter and six bits (Nos. R-774 to R-779).

**R-1108** Adapter 5/8" L.H. thread and 1/4" hole for 1/4" straight shank bits.

**R-774** 3/8" Boring Bit, L.H. 1/4" shank

**R-775** 1/2" Boring Bit, L.H. 1/4" shank

**R-776** 5/8" Boring Bit, L.H. 1/4" shank

**R-777** 3/4" Boring Bit, L.H. 1/4" shank

**R-778** 7/8" Boring Bit, L.H. 1/4" shank

**R-779** 1" Boring Bit, L.H. 1/4" shank

**R-780** 1/4" Boring Bit, L.H. 1/4" spiral


**R-3808** 3/8" Router Bit, L.H.

**R-3809** 1/2" Router Bit, L.H.

## SAFETY GUARDS AND ACCESSORIES



**R-119826 Tool Guard**. For all horizontal shaping, dadoing, disc sanding and sawing operations. Will accommodate tools up to 8" dia.



**R-9220 Shaper-Jointer Fence**. For shaping and jointing operations. Feed fence has micrometer adjustments from 0 to 1/2"



**R-134** Stop Rod for cut-off.



**R-136** Guard Kit for R-132.




**R-139** Table insert plate for dado head, R-6024.



**R-201303 Grinding Guard Kit**. Includes cup wheel guard, grinding wheel guard and tool rest. Use for all grinding operations.



**R-1107 Conversion Kit** for 8" guard for R-1100.



**R-201432 9" Conversion Kit**. For converting 9" saw guard to Automatic Safety Guard. Includes "free floating" lower safety rings and mounting screws.




**R-117808 10" Conversion Kit**. Same as R-201432 except that it accommodates 10" dia. saw blade.



**R-117809 12" Conversion Kit**. Same as R-201432 except that it accommodates 12" dia. saw blade.



**R-1504 12" Guard F/R 1500-1030 and GW**



**R-1434 Saf-T-Bak**. Fastens to rear of machine arm. Automatically returns saw blade to rear of guide fence after cut. A must for most school shops and industrial plants.



**R-1502 Table Extension Kit** for R-1511 & R-1513.



**R-203124 Splitter and Kick-Back device** for 9" saw guard. Splitter separates wood when ripping—prevents saw bind.



**R-203882 Splitter and Kick-Back** for Model R-1400 (10" guard) and R-1450.



**R-203883 Splitter and Kick-Back** for R-1500 Series (12" guard)

### Lathe Attachment



**R-9040 12" Lathe Attachment Complete** has 36" length capacity. Quickly mounted in working position. Driven by DeWalt "Power Shop" Motor or usable as separate bench lathe.



**R-9007 3 3/4" dia. Face Plate Adapter**



**R-8047 Wood Turning Chisels**, set of six (6)

## SABER SAW



**R-201327 Saber Saw**. Complete with 3 blades

**R-201465 Saber Saw adapter kit** for MB and GW

### Touch Scales for Blind

**R-201298-02** Touch scale for R-1400. Includes rip, bevel, and miter scales

**R-201299-02** Touch scale for R-1500 series. Include rip, bevel and miter scales.

**R-1202** Touch Scale for R-1250.

### Saber Saw Blades set of 6

**R-8026** 15 teeth per inch

**R-8027** 20 teeth per inch

**R-8024** 7 teeth per inch

**R-8025** 10 teeth per inch

**R-8028** Set of R-8024, R-8025, R-8027

**R-203999** DeWalt Stylish Green paint in spray can

# Black & Decker® PORTABLE POWER TOOLS

You'll find a Black and Decker tool here to fill your job need, and fit the price you have in mind. Which-ever tool you choose, you are assured of the finest quality and outstanding value. Your complete satisfaction is guaranteed.

**NO-TIME-LIMIT**  
 **Quality Guarantee**

**Black & Decker** GUARANTEES ALL PRODUCTS AGAINST DEFECTS CAUSED BY FAULTY MATERIALS OR WORKMANSHIP **REGARDLESS OF WHEN** DEFECT OCCURS OR BECOMES APPARENT.  
*Backed by the Industry's Largest Service Network*



**U-230**

## CIRCULAR SAWS

For fast, professional results in cutting a wide range of materials.

U-130	U-230	PROFESSIONAL
7 1/4" SAW	7 1/4" DELUXE SAW	H.D. SAWS FROM
\$29.88	\$41.88	\$59.88



**U-140**

## FINISHING SANDERS

All Black and Decker Finishing Sanders can be equipped for dust-free operation.

U-140	U-240	U-341
FINISHING SANDER	DELUXE-DUAL-ACTION FINISHING SANDER	PROFESSIONAL FINISHING SANDER
\$19.88	\$31.88	\$39.88



**U-153**

## JIG SAWS

Most versatile power saw. Make straight, curved and patterns cuts in most materials.

U-153	U-251	U-351K
JIG SAW	DELUXE JIG SAW	PROFESSIONAL JIG SAW KIT
\$16.88	\$29.88	\$41.88

## 1/4" DRILLS

Drill in all materials, power useful attachments and accessories.

U-100	U-202	U-205
1/4" DRILL	1/4" DELUXE DRILL	1/4" DELUXE VARIABLE SPEED DRILL
\$9.88	\$16.88	\$26.88

Plus Professional and Cordless Models and Drill Kits.



U-100



## 3/8" DRILLS

Double-reduction gearing for added power.

U-124	U-223	U-225
3/8" DRILL	3/8" DELUXE DRILL	3/8" DELUXE VARIABLE SPEED DRILL
\$12.88	\$21.88	\$31.88

Plus Professional Model



U-225

## 1/2" DRILLS

Extra power for large capacity drilling.

U-127	U-227	U-226
1/2" DRILL	1/2" REVERSIBLE DRILL	1/2" DELUXE DRILL
\$34.88	\$46.88	\$49.88



U-227

## LAWN 'N' GARDEN POWER TOOLS

### SHRUB AND HEDGE TRIMMERS

U-172	\$19.88
U-272	\$29.88
C-671 CORDLESS	\$79.50



U-272

### LAWN EDGERS AND TRIMMERS

U-176	\$24.88
U-278	\$34.88



U-278



Every Black & Decker product has been carefully inspected before shipment, and we guarantee to correct any defect caused by faulty material or workmanship. Our obligation assumed under this guarantee is limited to the replacing of any part or parts which prove to our satisfaction, upon examination, to have been defective and which have not been misused or carelessly handled. Arrangements for service on DeWalt products must be made through our Factory Service Branches, Authorized Service Stations or with our Factory. We reserve the right to decline responsibility where repairs or replacements have been made or attempted by others. No other guarantee, written or verbal, is authorized on our products.

### FACTORY SALES AND SERVICE BRANCHES

	Area Code	Telephone No.		Area Code	Telephone No.
ALABAMA 35233, Birmingham, 1717 Third Ave., South	205	324-6691	NEBRASKA 68102, Omaha, 2218 Leavenworth St.	402	345-2330
ARIZONA 85007, Phoenix, 1506 Grand Ave.	602	AL 8-1332	NEW JERSEY 07104, Newark, 868 Broadway	201	HU 3-1076
CALIFORNIA 92802, Anaheim, 1235 South Euclid Ave.	714	772-4050	NEW YORK 14209, Buffalo, 881 W. Delavan Ave.	716	TT 4-6220
90007, Los Angeles, 2432 S. Broadway	213	RI 9-0371	10461, New York, 2421 Westchester Ave. (Bronx)	212	SY 2-2700
94606, Oakland, 1107 E. 14th St.	415	TE 4-5944	10014, New York, 227 Varick St. (Manhattan)	212	WA 9-6450
95814, Sacramento, 1915 Seventeenth St.	916	444-3188	11377, New York, 56-15 Queens Blvd. (Woodside)	212	DE 5-1042
92105, San Diego, 3811 El Cajon Blvd.	714	AT 1-3331	14620, Rochester, 476 Clinton Ave., S.	716	454-3814
94124, San Francisco, 4343 Third St.	415	AT 2-1900	13224, Syracuse, 2140 Erie Blvd., E.	315	474-5757
COLORADO 80204, Denver, 1010 Bannock St.	303	222-0621	NORTH CAROLINA 28202, Charlotte, 800 N. College St.	704	FR 5-3721
CONNECTICUT 06114, Hartford, 33 Webster St.	203	527-4281-2	27403, Greensboro, 1032 West Lee St.	919	275-4487
DISTRICT OF COLUMBIA 20018, Washington,			OHIO 45214, Cincinnati, 1225 Western Ave.	513	421-2275
2353 Rhode Island Ave., N.E.	202	LA 9-4808	44113, Cleveland, 3901 Detroit Ave.	216	OL 1-4243
FLORIDA 33147, Miami, 2075 N. W. 54th St.	305	NE 3-9839	43202, Columbus, 3293 N. High St.	614	AM 8-5797
32208, Jacksonville, 5224 Pearl St.	305	356-2951	45420, Dayton, 617 Watervliet Ave.	513	252-1821
32806, Orlando, 940 S. Orange Ave.	305	241-4015	OKLAHOMA 73106, Oklahoma City, 1717 Linwood Blvd.	405	CE 2-7515
33609, Tampa, 3407 S. Dale Mabry Hwy.		836-8351	74114, Tulsa, 2602 So. Harvard Street	918	747-1558
GEORGIA 30313, Atlanta, 316 Techwood Drive, N.W.	404	JA 4-0431	OREGON 97209, Portland, 1640 N. W. Johnson St.	503	CA 8-8631
HAWAII 96813, Honolulu, 675 Auahi St.	808	569-374	PENNSYLVANIA 17109, Harrisburg, 4643 Jonestown Rd.	717	KI 5-0651
ILLINOIS 60607, Chicago, 1100 W. Jackson Blvd.	312	TA 9-3500	19103, Philadelphia, 333 N. 20th St.	215	LO 4-5520
60645, Chicago, Lincolnwood, 6710 N. Crawford Ave.	312	OR 3-0923	15232, Pittsburgh, 5437 Baum Blvd.	412	362-2700
60655, Chicago, 10708 S. Western Ave.	312	BE 3-6832	SOUTH CAROLINA 29601, Greenville, 407 Pendleton St.	803	232-3038
INDIANA 46207, Indianapolis, 1125 W. 16th St.	317	632-5569	TENNESSEE 38106, Memphis, 921 South Third St.	901	WH 2-3244
IOWA 50312, Des Moines, 2811 Ingersoll Ave.	515	CH 4-7257	37210, Nashville, 533 Fourth Ave., South	615	254-0110
KANSAS 67214, Wichita, 203 No. Mathewson St.	316	FO 3-6571	TEXAS 75207, Dallas, 1808 N. Industrial Blvd.	214	RI 1-6401
KENTUCKY 40221, Louisville, 4407 Park Blvd.	502	366-1495	76104, Forth Worth, 1214 S. Main St.	817	ED 6-0175
LOUISIANA 70112, New Orleans, 2010 Poydras St.	504	522-2544	77003, Houston, 105 Sampson St.	713	CA 8-7521
MARYLAND 21211, Baltimore, 203 West 28th St.	301	HO 7-7411	78210, San Antonio, 1314 S. St. Mary's St.	512	LE 4-4611
21204, Towson, 701 E. Joppa Rd.	301	VA 3-4400	UTAH 84115, Salt Lake City, 1541 S. Second West	801	HU 6-7056
MASSACHUSETTS 02135, Boston, 12 Market St. (Brighton)	617	ST 2-6264	VIRGINIA 23517, Norfolk, 337 West 21st St.	703	625-5888
MICHIGAN 48219, Detroit, 18133 W. McNichols Rd.	313	534-8880	23222, Richmond, 1424 Chamberlayne Ave.	703	MI 3-9152
48234, Detroit, 11360 East Seven Mile Rd.	313	527-5010	WASHINGTON 98109, Seattle, 434 Eighth Avenue, N.	206	MA 3-6442
49509, Grand Rapids, 1296 36th St., S.W.	616	534-7708	99202, Spokane, 3025A E. Mission Ave.	509	KE 4-7188
MINNESOTA 55408, Minneapolis, 2815 Nicollet Ave.	612	TA 3-5283	WEST VIRGINIA 25301, Charleston,		
MISSOURI 64108, Kansas City, 2705 McGee Trafficway	816	HA 1-1493	116 Washington St., East	304	343-0289
63110, St. Louis, 615 S. Vandeventer Ave.	314	JE 3-2210	WISCONSIN 53213, Milwaukee, 6301 Blue Mound Rd.	414	GR 6-7800

### BLACK & DECKER MFG., CO., LIMITED, CANADA

Toronto 2, Ontario Montreal 10, P.Q. Winnipeg 10, Manitoba Vancouver 10, B.C. Quebec, P.Q. Scarboro, Ontario Halifax, Nova Scotia

#### WAREHOUSES

California, Richmond 4, 1732 Wright Ave.  
Phone: 415 235-4232  
Maryland, Hampstead, Phone: 301 TE 3-4444  
Missouri, North Kansas City 16, 1417-23  
Murray St., Phone: 816 VI 2-6350

#### MANUFACTURING PLANTS

Lancaster, Pa.; Solon, Ohio;  
Towson, Md., Hampstead, Md., U. S. A.;  
Brockville, Ontario, Can.; Milan, Italy;  
Harmondsworth Middx., England;  
Croydon, Vic., Australia; Lyon, France

#### SALES AND SERVICE SUBSIDIARIES

Brussels, Belgium; Copenhagen, Denmark;  
Dusseldorf, Germany; Mexico, D.F., Mexico;  
Auckland, New Zealand; Rotterdam, Netherlands; Oslo, Norway;  
Johannesburg and Cape Town, South Africa;  
Goteborg C, Sweden; San Juan (Hato Rey) Puerto Rico

### DISTRIBUTED BY:

# DeWALT®

THE BLACK & DECKER MANUFACTURING COMPANY  
TOWSON, MARYLAND 21204