

CLAUSING CORPORATION
SERVICE CENTER
811 EISENHOWER DR. SOUTH
GOSHEN, INDIANA 46526

No. MNP78

FEBRUARY, 1978

PARTS PRICE LIST
ATLAS 6" and 12" LATHES,
METAL CUTTING SAWS

Cancels all previous price lists. Prices and quotations are subject to change without notice. Parts are F.O.B. factory, Goshen, Indiana.

Written authorization must be obtained before returning merchandise.

PART NO.	NAME	PRICE	PART NO.	NAME	PRICE	PART NO.	NAME	PRICE
BD1-16	Bearing	3.60	M1-243X	Gear Assy	59.31	M6-17	Dial	3.60
BD1-18	Bushing	1.20	M1-248	Replaced by M1-243X		M6-177	Replaced by 1/4-20X1 1/8 Hex Cap Screw	
BD2M-34	Belt	6.66	M1-31	Spindle	54.91	M6-19A	Nut	4.95
BD3-44	Lock	3.85	M1-47	Handle	3.19	M6-2	Headstock	45.25
BD3M-34	Belt	5.32	M1-92	Lock	1.86	M6-2X	Headstock Assembly	207.64
C-300A	Replaced by 641-084		M6-100-32	Gear	2.27	M6-20B	Bracket	20.24
DB4-35	Oiler90	M6-101-16	Gear	3.99	M6-20BX	Countershaft Assy	74.04
L2-41A	Ball90	M6-101-20	Gear	2.15	M6-21	Replaced by M6-21A	
L2-61	Replaced by L2-61A		M6-101-24	Gear	3.04	M6-21A	Hanger	11.04
L2-61A	Crank w/Handle	5.19	M6-101-32	Gear	2.15	M6-21AX	Countershaft Hanger Assy	57.23
L2-61D	Replaced by L2-61A		M6-101-36	Gear	2.38	M6-214	Ball90
L2-86	Spacer	1.46	M6-101-40	Gear	2.66	M6-22	Guard	9.47
L3-109	Bushing	2.13	M6-101-44	Gear	2.79	M6-223	Nut90
L3-71	Replaced by L3-71A		M6-101-46	Gear	2.93	M6-226	Lead Shot	2.02
L3-71A	Bushing	2.17	M6-101-48	Gear	2.93	M6-23	Replaced by 3950-20	
L3-72	Replaced by 10-1225		M6-101-52	Gear	3.19	M6-241	Replaced by M6-241X	
L5-35-36A	Lead Screw	50.09	M6-101-54	Gear	3.19	M6-241X	Back Gear Assembly	11.04
L5-35-42A	Lead Screw	42.75	M6-101-56	Gear	3.33	M6-243	Replaced by M6-243A	
L5-35-54	Lead Screw	66.69	M6-101-64	Gear	3.60	M6-243A	Back Gear	9.19
L5-35-54A	Lead Screw	45.29	M6-101X	Gear Set	29.54	M6-243X	Back Gear Assy	32.75
L6-1007	Quadrant	15.94	M6-102	Gear	3.19	M6-251	Eccentric	1.33
L6-1009	Shaft	6.13	M6-103	Replaced by M6-104		M6-252	Eccentric	1.41
L6-1011	Shaft	6.92	M6-104	Handle	1.73	M6-257	Spring90
L6-1014	Gear	4.80	M6-109	Replaced by 10-264		M6-258	Bushing	1.86
L6-1030	Gear	7.25	M6-11	Bearing	2.07	M6-262	Nut	1.33
L6-1031	Replaced by 130-007		M6-11X	Replaced by 3950-21		M6-263	Nut	1.41
L6-38	Replaced by 10D-38		M6-115	Replaced by 937-054		M6-27	Bearing	4.39
L9-1	Bed	134.96	M6-12A	Half-Nut	4.82	M6-301	Swivel	26.09
L9-1X	Bed, Legs, & Rack Assy	156.60	M6-12AX	Half-Nut Assy	7.43	M6-301X	Replaced by 3950-27	
L9-125	Belt	3.73	M6-12X	Replaced by M6-12AX		M6-302	Swivel	13.01
L9-303	Replaced by M6-303		M6-126	Replaced by L9-125		M6-303	Slide	16.01
L9-31A	Spindle	51.16	M6-127A	Belt	4.80	M6-303X	Slide Assy	36.61
L9-35	Replaced by 3950-16		M6-13A	Guide	1.47	M6-304	Replaced by 345-076	
L9-35X	Leadscrew & Feed Gr Assy	70.81	M6-136	Anchor	2.79	M6-305	Replaced by 3950-19	
L9-86	Rack	13.18	M6-148	Screw	2.13	M6-306	Nut	3.54
M1-11	Nut	7.99	M6-16	Bearing	2.93	M6-307	Plate	1.86
M1-243	Replaced by M1-243X		M6-165	Spacer	1.86	M6-308	Replaced by 3950-23	
						M6-309	Pin90
						M6-31	Spindle	38.94

PART NO.	NAME	PRICE	PART NO.	NAME	PRICE	PART NO.	NAME	PRICE
M6-31X	Spindle Assembly . . .	102.49	M6-93	Washer	1.34	051-004	Belt	7.33
M6-312	Wrench	6.53	S10F-19	Nut	1.88	051-005	Belt	3.86
M6-32	Collar	3.70	S2-17	Replaced by S2-17F. .		051-023	Belt	7.05
M6-33	Bushing	90	S2-17F	Bearing	11.58	051-075	Belt	3.59
M6-34	Replaced by 3950-17. .		S3-90	Belt	4.93	053-047	Block	7.27
M6-36A	Screw	5.32	S7-217	Oiler	2.13	058-015	Bed.	266.33
M6-38	Cam	1.33	S8-95A	Belt	4.26	058-016	Bed.	339.01
M6-39	Tool Post.	8.48	U-100	Jaws	22.52	058-039	Bed.	148.39
M6-39X	Tool Post Assy less Wrench	18.27	W30-16	Oiler	90	061-003	Band	2.13
M6-40	Washer	2.66	W68-1	Slide	31.01	064-002	Bearing	3.53
M6-42	Replaced by M1-47 . .		W68-2	Table	44.69	064-017	Bearing	6.39
M6-427	Pulley	7.05	W68-3	Replaced by 1614-10. .		10-101-16A	Replaced by 3980-12. .	
M6-428	Replaced by M6-428X		W68-4	Replaced by 1614-10. .		10-107	Spindle	12.56
M6-428X	Pulley w/Bushing. . . .	5.68	W68-5	Replaced by 050-049. .		10-1225	Collar	3.73
M6-429	Pulley	4.93	W68-7	Clamp	2.00	10-1229	Stud	6.26
M6-44	Lock	1.21	W68-8	Replaced by 1614-10. .		10-1231	Plunger	2.83
M6-45	Sleeve	1.52	X10F-46	Replaced by 3980-18. .		10-1244	Sleeve	3.19
M6-46	Bearing	3.86	002-019	Arm	23.83	10-1245	Replaced by 441-029. .	
M6-47	Stud	5.79	002-077	Arm	32.88	10-1263	Replaced by 049-107. .	
M6-48	Dial	3.70	002-086	Arm	25.89	10-1508	Spindle	8.82
M6-5	Replaced by 3950-30. .		003-004	Arbor	11.58	10-1512	Gear	5.24
M6-5X	Replaced by 3950-24. .		005-001	Replaced by 3985-10. .		10-1513	Replaced by 3980-38. .	
M6-50	Replaced by M6-165 . .		005-006	Replaced by 3980-55. .		10-1513X	Replaced by 3980-38. .	
M6-502	Vise	17.83	041-120	Bracket	14.74	10-1515	Gear	4.80
M6-56	Replaced by 345-076. .		041-122	Bracket	47.20	10-1516	Gear	4.93
M6-566	Shank	19.44	041-132	Bracket	36.61	10-1517	Gear	5.19
M6-58	Tumbler	9.57	041-284	Bracket	8.64	10-1518	Gear	5.32
M6-58X	Tumbler Assembly. . . .	29.15	041-360	Bracket	8.06	10-1519	Gear	5.59
M6-59	Replaced by M6-101-20		041-361	Bracket	8.99	10-1520	Gear	5.85
M6-6	Replaced by 3950-30. .		041-488	Bracket	3.53	10-1521	Gear	6.13
M6-60	Replaced by M6-101-24		041-495	Bracket	4.27	10-1522	Gear	6.26
M6-61	Replaced by 3950-22. .		042-037	Blade	5.07	10-1523	Gear	5.41
M6-62X	Replaced by 3950-18. .		043-043	Bearing	90	10-1524	Replaced by 3980-37. .	
M6-64	Replaced by M6-64A . .		044-004	Replaced by 044-058. .		10-1524X	Replaced by 3980-37. .	
M6-64A	Gear	4.27	044-016	Bearing	9.99	10-1525	Replaced by 3980-34. .	
M6-67	Shaft	4.80	044-017	Replaced by 064-002. .		10-1525X	Replaced by 3980-34. .	
M6-68	Shaft	4.92	044-028	Bearing	2.13	10-1526	Replaced by 3980-33. .	
M6-7	Clamp	2.00	044-058	Bearing	7.62	10-1527	Replaced by 3980-33. .	
M6-70	Bushing	1.20	045-026	Bearing	31.42	10-1528	Replaced by 3980-31. .	
M6-72	Cover	1.46	045-027	Bearing	27.82	10-1529	Replaced by 3980-31. .	
M6-73	Sleeve	3.42	046-017	Replaced by 3980-74. .		10-1534	Collar	3.22
M6-76	Shaft	5.59	046-018	Replaced by 10D-30 . .		10-1544	Replaced by 049-107. .	
M6-79	Replaced by 2140-10. .		046-036	Bearing	7.99	10-1546	Replaced by 3980-12. .	
M6-8	Ram	14.51	046-040	Bearing	6.26	10-1546X	Replaced by 3980-12. .	
M6-80	Pulley	7.05	048-077	Bar	6.50	10-1550X	Replaced by 3980-31. .	
M6-81B	Bearing	15.90	049-031	Bushing	90	10-1551X	Replaced by 3980-32. .	
M6-82B	Bearing	14.25	049-050	Bushing	1.33	10-1552X	Replaced by 3980-33. .	
M6-88	Replaced by 1/4" - 20 Hex Nut & 3/16" Washer		049-089	Bushing	3.88	10-1586	Lever w/Guide	32.15
M6-9X	Replaced by 3950-28. .		049-107	Bushing	1.86	10-1598	Replaced by 3980-31. .	
M6-90	Nut	2.65	049-146	Bushing	1.86	10-225	Nut	90
			049-147	Bushing	2.79	10-226	Nut	90
			049-148	Bushing	1.46	10-241	Replaced by 10-241X. .	
			049-149	Bushing	1.73	10-241X	Gear Assy	25.73
			049-150	Replaced by L3-109		10-242	Gear w/Bushing.	9.32
			050-035	Replaced by 3980-11. .		10-243	Gear	16.50
			050-049	Base	32.33	10-244	Gear	7.99
			050-111	Base	105.02			

PART NO.	NAME	PRICE	PART NO.	NAME	PRICE	PART NO.	NAME	PRICE
10-248	Sleeve w/Bushing.	12.82	10F-33	Gear	4.80	341-299	Gear	3.73
10-249	Bushing.90	10F-35-42	Screw, 42 Lathe	50.09	341-301	Replaced by 4350-14	
10-256	Pin	2.27	10F-35-54	Screw, 54 Lathe	60.63	341-374	Gear	6.07
10-258	Bushing.	2.13	10F-36	Replaced by 696-047 & L2-86.		341-375	Replaced by 3950-13	
10-264	Bushing.	1.86	10F-45	Bushing.90	341-376	Replaced by M6-101-20	
10-29	Lever	8.99	10F-62	Dial	4.21	341-377	Replaced by M6-101-24	
10-301	Swivel.	29.68	10F-71	Collar	3.94	342-029	Guard	16.91
10-301X	Compound Assy	144.78	10F-74	Washer	1.80	342-030	Guard	26.86
10-302	Swivel.	20.85	10F-75	Washer	2.33	342-031	Guard	37.42
10-309	Pin	1.46	10F-9	Saddle.	95.74	342-032	Guard	34.09
10-31	Replaced by 10-31T.		122-235	Cover	7.59	342-033	Guard	24.92
10-31T	Spindle	56.24	123-084	Collar	6.16	342-145	Guard	8.25
10-321	Use 10-321 ATL		123-122	Replaced by 123-084.		345-009	GIB	3.19
10-321ATL	Clamp.	6.11	123-137	Collar	4.50	345-012	Replaced by 345-077.	
10-42A	Pin	2.34	126-100	Clamp	2.79	345-076	GIB	2.27
10-428	Pulley	7.59	130-007	Chart	6.39	345-077	GIB	3.50
10-450-11	Diamond Dresser Assy	59.53	138	Sleeve	7.43	346-077	Gasket.	1.46
10-451	Body.	58.56	141-023	Coupling	3.47	350-021	Guide	1.41
10-452	Replaced by 10-450-11		147-002	Carriage.	49.92	383-003	Headstock	126.24
10-455	Replaced by 701-084 & (2) 044-058		1614-10	Jaw Assy	33.08	383-017	Headstock	56.31
10-459	Pulley	8.87	2140-10	Pulley & Gear Assy	9.19	384-004	Hinge	1.86
10-464	Replaced by 701-084 & (2) 044-058.		2308-10012	Scroll	28.94	386-031	Housing.	88.75
10-469	Replaced by 7009-10.		2308-10013	Pinion.	6.24	3950-10	Guard Assy	13.59
10-471	Belt	6.79	2308-10015	Wrench	16.46	3950-13	Gear w/Bush & Oiler	9.58
10-473	Post	19.79	2308-10017	Outside Jaws (Set 3)	28.46	3950-14	Pulley	11.53
10-475	Wheel	6.90	2308-10018	Inside Jaws (Set 3).	28.46	3950-16	Screw Collar Assy	25.73
10-476	Grinding Wheel.	10.20	2308-14012	Scroll	44.12	3950-17	Screw Assy.	6.73
10-485	Replaced by 7009-10.		2308-14013	Pinion.	7.40	3950-18	Thread Dial Assy.	10.73
10-487	Quill.	12.51	2308-14015	Wrench	16.46	3950-19	Screw Assy.	9.02
10-502	Vise	27.02	2308-14017	Outside Jaws (Set 3)	27.46	3950-20	Handwheel Assy	7.18
10-520	Motor	115.92	2308-14018	Inside Jaws (Set 3).	30.20	3950-21	Carriage Trav. Assy	10.69
10-56	Replaced by 345-077.		2308-16012	Scroll	37.24	3950-22	Crank Assy.	4.93
10-79	Replaced by 3980-36.		2308-16017	Outside Jaws (Set 3)	36.16	3950-23	Crank Assy.	6.79
10-80	Pulley	22.81	2308-16018	Inside Jaws (Set 3).	36.16	3950-24	Tailstock Assy	94.51
10A-11C	Replaced by 045-027.		233-007	Replaced by 233-016		3950-25	Tumbler Brkt Assy	41.21
10A-3	Cover	2.13	233-016	Dial		3950-27	Compound Rest Assy.	85.50
10A-5	Collar	3.86	2540-14365	Operating Screw	7.44	3950-28	Carriage Assy	134.55
10A-6	Spacer.	3.86	2540-14601	Hard Rev Jaws (Set 4)	48.65	3950-30	Tailstock Base Assy	53.00
10A-7	Plate.	2.13	2540-16365	Replaced by 2540-14365		3980-10	Guard Assy	225.69
10A-8	Plate.	2.13	2540-21395	Key	15.84	3980-11	Tailstock & Base Assy	83.99
10A-89	Collar	4.27	2548-21016	Operating Screw	8.08	3980-12	Gear	5.85
10A-9C	Replaced by 045-026		2558-10015	Rev. Jaws (Set 4).	30.60	3980-14	Plunger Assy.	9.45
10D-262	Nut.90	2558-10016	Screw	3.47	3980-18	Screw Assy.	38.64
10D-30	Bearing	6.34	271-006	Eccentric.	6.71	3980-19	Guard Assy	33.89
10D-308	Crank w/Handle	4.93	2790	Motor	141.00	3980-20	Guard Assy	96.39
10D-34	Screw	5.19	2840	Motor	136.00	3980-21	Gear Assy	23.30
10D-38	Scroll	3.42	291-003	Frame.	98.13	3980-22	Screw Assy.	26.60
10F-11	Case	5.24	291-006	Frame.	90.49	3980-24	Gear Assy	11.04
10F-12	Half-Nut (1 pair).	4.39	294-004	Leg.	28.35	3980-25	Clutch Assy	35.40
10F-12X	Half-Nut Assy.	13.18	294-005	Leg.	24.30	3980-26	Handle Assy	13.05
10F-16	Bearing	6.97	341-010	Gear	8.66	3980-27	Bearing Assy.	21.30
10F-19	Nut.	13.01	341-051	Gear	12.38	3980-30	Gear	11.18
10F-190	Repl by 1/2-20 Cone- lock Nut		341-052	Replaced by 3980-30.		3980-31	Gear Assy	19.83
10F-305	Screw	7.00	341-057	Gear	4.93	3980-32	Gear Assy	15.71
			341-063	Gear	3.47	3980-33	Gear Assy	16.10
						3980-34	Gear	5.85
						3980-35	Spindle Assy.	207.64

PART NO.	NAME	PRICE	PART NO.	NAME	PRICE	PART NO.	NAME	PRICE
3980-36	Pulley, Gear, & Bush Assy.	33.70	51-56	Ball.	1.33	696-049	Screw90
3980-37	Gear	7.99	537-026	Nut.	11.46	696-077	Screw	7.72
3980-38	Gear	8.79	537-040	Nut.	6.00	696-148	Leadscrew	41.87
3980-44	Tumbler Assy.	44.59	537-041	Nut.	14.03	696-149	Screw	44.58
3980-45	Hdstock Assy.	502.17	537-042	Replaced by 3980-51.		696-226	Screw	15.84
3980-49	Bed, Legs & Rack Assy.	466.81	537-159	Nut.	6.42	696-227	Replaced by 4352-18.	
3980-50	Tailstock Assy.	155.42	547-004	Oiler.90	696-229	Screw	3.47
3980-51	Nut Assy.	5.59	556-166	Plate.90	696-246	Replaced by 4352-18.	
3980-55	Apron.	37.14	556-240	Plate.90	696-292	Screw	49.35
3980-56	Gear Case Assy.	18.30	556-286	Plate.	7.72	697-006	Spring.	2.27
3980-60	Countershaft Assy.	200.89	556-289	Plate.	1.33	697-097	Spring.	1.86
3980-74	Bearing	11.58	557-028	Plug90	698-039	Stud	5.19
3985-10	Apron Conversion	50.92	560-050	Replaced by 3990-36.		698-108	Stud	3.60
3990-12	Drive Assy.	687.24	560-051	Pulley	18.90	698-142	Replaced by 1/4 x 1 1/4 Roll Pin	
3990-16	C' Shaft Assy.	62.45	560-060	Pulley	35.41	699-066	Replaced by 123-084.	
3990-36	Pulley, Gear, Bush Assy.	53.58	560-166	Pulley	4.51	700-282	Shaft.	3.86
40-60	Chuck.	24.70	560-167	Pulley	3.19	700-283	Shaft.	4.27
41-44A	Switch.	5.00	560-194	Replaced by 3950-14.		700-284	Replaced by 4352-37.	
431-014	Jaw.	5.17	560-195	Pulley	7.73	700-285	Replaced by 4352-38.	
431-016	Jaw.	7.72	562-150	Replaced by 562-171.		700-324	Shaft.	3.54
431-017	Jaw.	6.92	562-170	Replaced by 562-175.		700-325	Replaced by 4352-33.	
4350-13	Gear Assy.	9.32	562-171	Pin	2.65	7009-10	Guard Assy.	18.82
4350-14	Gear Assy.	20.90	562-175	Pin	8.79	701-019	Spindle	5.85
4350-15	Head Assy.	38.94	567-040	Packing	1.65	701-020	Spindle	6.39
4350-19	Gear Assy.	16.64	567-069	Replaced by 567-075.		701-021	Spindle	6.39
4350-20	Replaced by 050-111.		567-075	ORing.90	701-083	Spindle	42.91
4352-11	Cap Assy.	8.66	641-005	Retainer90	701-084	Spindle	29.68
4352-12	Valve Assy.	6.79	641-025	Retainer	1.54	702-021	Sleeve	59.42
4352-13	Replaced by 4352-24.		641-055	Retainer90	702-037	Sleeve	6.26
4352-14	Wheel Assy.	18.73	641-056	Retainer90	704-014	Replaced by 704-017 & 345-077	
4352-18	Coilar Screw Assy.	6.88	641-080	Retainer90	704-015	Swivel.	30.09
4352-20	Bracket Assy.	8.91	641-084	Retainer90	704-016	Slide.	20.77
4352-21	Bracket Assy.	9.05	641-145	Retainer90	704-017	Slide.	21.97
4352-23	Cylinder Assy.	41.21	642-021	Guide	3.33	704-058	Slide.	9.64
4352-24	Wheel Assy.	9.83	642-022	Guide	3.19	704-070	Slide.	35.71
4352-25	Vice-Screw Assy.	19.57	6611-50	Replaced by 2308-10018		705-037	Support.	2.53
4352-32	Cylinder Assy.	44.45	6611-51	Replaced by 2308-10017		705-038	Support.	7.05
4352-33	Shaft w/Oiler.	10.80	6611-52	Replaced by 2308-10015		705-060	Support.	7.05
4352-37	Shaft w/Oiler.	6.26	6611-53	Replaced by 2308-10013		706-023	Shelf.	49.59
4352-38	Shaft.	4.13	6611-54	Replaced by 2308-10012		708-022	Cup	1.46
4355-10	Gear Drive Assy.	57.01	6612-50	Replaced by 2308-14018		719-001	Saddle.	84.23
441-029	Knob	3.60	6612-51	Replaced by 2308-14017		720-035	Shield.90
441-040	Knob	5.17	6612-52	Replaced by 2308-14015		828-022	Tube.	53.00
441-097	Knob	3.47	6612-53	Replaced by 2308-14013		829-093	Table	13.44
442-011	Key	9.71	6612-54	Replaced by 2308-14012		831-002	Replaced by 3980-11.	
442-033	Key	2.66	6613-50	Replaced by 2308-16018		831-013	Replaced by 3950-30.	
445-001	Knuckle.	5.19	6613-51	Replaced by 2308-16017		834-021	Tube.	6.71
445-002	Knuckle.	7.25	6613-54	Replaced by 2308-16012		9-101-20A	Gear	2.66
452-022	Lever	33.62	6644-50	Replaced by 2540-14601		9-101-24A	Gear	2.79
452-057	Lever	6.79	6644-51	Replaced by 2540-14365		9-101-32A	Gear	3.19
452-059	Lever	2.00	6644-52	Replaced by 2540-21395		9-101-36A	Gear	3.54
453-010	Leg.	81.31	6646-51	Replaced by 2548-21016		9-101-40A	Gear	3.60
51-52	Handle	2.70	6652-50	Replaced by 2558-10015		9-101-44A	Gear	3.86
			6652-51	Replaced by 2558-10016		9-101-46A	Gear	3.86
			6652-52	Replaced by 2308-10015		9-101-48A	Gear	3.99
			696-047	Screw	8.51			
			696-048	Screw	4.93			

PART NO.	NAME	PRICE	PART NO.	NAME	PRICE	PART NO.	NAME	PRICE
9-101-50A	Gear	4.39	9-505	Block	5.19			
9-101-52A	Gear	4.66	9-506B	Screw	7.59			
9-101-54A	Gear	4.80	9-51	Replaced by (2) 9-51A				
9-101-56A	Gear	5.06	9-51A	Washer	.90			
9-101-60A	Gear	5.19	9-513A	Replaced by 003-004				
9-101-64A	Gear	5.32	9-517	Screw	.90			
9-101A	Gear Assy	30.22	9-52A	Stud	8.66			
9-102-12S	Gear	3.39	9-522	Replaced by 10-520				
9-102-24	Replaced by 341-057		9-53	Washer	.90			
9-103	Replaced by 9-104		9-59	Yoke	3.89			
9-104	Handle	1.73	9-60	Plunger	1.46			
9-108	Race	6.81	9-61	Spring	.90			
9-11	Gear Case	6.79	9-62X	Dial Assy	8.51			
9-111	Washer	.90	9-64	Gear	2.66			
9-113A	Spacer	2.41	9-645	Tool	23.83			
9-115	Replaced by 937-055		9-66	Stud	.90			
9-124	Plug	.90	9-67	Shaft	3.88			
9-13	Guide	3.86	9-68	Shaft	3.75			
9-13A	Replaced by 9-13		9-69	Replaced by 9-69A				
9-136A	Anchor	3.15	9-69A	Bolt	1.20			
9-137A	Stud	2.13	9-7	Clamp	2.93			
9-138	Replaced by 138		9-70	Replaced by 9-70A				
9-14	Clamp	2.33	9-70A	Bushing	2.41			
9-146	Washer	.90	9-72	Stud	5.83			
9-148	Screw	2.57	9-73	Replaced by 9-73A				
9-155	Washer	.90	9-73A	Sleeve	4.47			
9-16	Bearing	7.83	9-73AX	Stud Assy	13.94			
9-19	Replaced by 537-026		9-752	Spindle	20.77			
9-190	Nut	.90	9-753	Sleeve	36.61			
9-210	Ball	.90	9-8	Ram	22.50			
9-222	Repl by 5/16-18 Hex Jam Nut		9-86-42	Rack	21.73			
9-223	5/16-18x2 1/2 Sq Hd Set Screw	1.29	9-86-54	Rack	27.83			
9-23	Handwheel w/Handle	9.99	9-87	Washer	.90			
9-23D	Replaced by 9-23		9-88	Center	7.50			
9-303	Slide	25.96	9-93	Washer	1.28			
9-304	Replaced by 345-077		934-023	Replaced by 834-021				
9-306	Nut	13.17	937-054	Wrench	6.64			
9-307	Plate	3.99	937-055	Wench	7.39			
9-32	Collar	3.73	938-003	Wiper	.90			
9-327	Jaw	2.79	938-010	Wiper	1.73			
9-35-54	Screw, 54 Lathe	60.63	942B	Bed	254.39			
9-37	Replaced by 9-37A		990-264	Replaced by 3980-30				
9-37A	Guard	3.33	990-281	Replaced by 3980-45				
9-385A	Bit	4.26	990-282	Compound Assy	141.27			
9-39	Post	12.65	990-283	Saddle Assy	143.22			
9-39A	Replaced by 9-39X		990-285	Replaced by 3980-56				
9-39X	Post Assy Less Wrench	25.63	990-286	Apron Assy	147.58			
9-40	Washer	4.07	990-288	Replaced by 3980-49				
9-41	Rocker	2.65	990-289	Replaced by 3980-50				
9-42A	Replaced by M1-47		990-291	Replaced by 3980-44				
9-427	Replaced by 560-060		990-293	Replaced by 3980-60				
9-47	Gear	4.83	990-328	Spindle Assy	228.93			
9-48B	Gear	16.16	990-329	Headstock Assy	507.58			
9-49A	Gear	14.37	990-359	Replaced by 3980-36				
9-50A	Collar	4.30	990-360	Replaced by 3990-36				
			990-371	Replaced by 341-063				
			990-381	Bearing Assy	49.80			