




The complete line of woodworking machinery

The complete line of YATES-AMERICAN high quality woodworking machinery


A-20-12 PLANER MATCHER

Direct motor drive (illustrated); belt driven available. Feeds to 600 FPM.



MODEL B-24 DOUBLE SURFACER 20", 24" x 30"

For planing mills, box plants, and flooring plants. A close-coupled machine that will feed 50" long stock at 75 to 400 F.P.M. without butting. Direct motor drive, top head two 20 H.P. motors (2-35 h.p. max.) bottom head 20 H.P.; (max. 35 h.p.) feed motor 15 H.P. (40 h.p. max.)




MODEL G50-1 MULTIPLE UNDERCUT RIPSAW

Arbor has 18" of saw space with outboard bearing. Feeds 75-300 FPM available. 60 hp arbor drive motor. 5 hp feed.




F-30 FEED TABLE

All new heavy duty high speed feed table with various lengths of bridge available.




A-63 PLANER-MATCHER

Feeds to 1200 FPM. A heavy duty matcher for production plants where productivity is of utmost importance.



MODEL 177 DOUBLE SURFACER 30" x 14"

An excellent machine for prefinishing stock in furniture factories, lumber mills, etc. Powerful, sturdy, heavy, Varifeed drive provides an unbroken range of feed speeds from 60 to 160 feet per minute. Motor drive.




MODEL 328M UNIVERSAL CUTTERHEAD GRINDER

1 H.P. motor, new long ball bearing table, steel guards, calibrated indexing. For grinding side heads and profile heads.



F-36 PLANER SLOW-DOWN BELT

36" wide non-skid belt runs on 12%" pipe rolls with 5' shaft centers. 2 HP variable speed drive and completely adjustable angle setting. May be ordered in other sizes.



MODEL 409M SERIES PLANER AND MATCHER




Feeds to 1200 FPM. Three feed rolls: Top rolls 14" dia., bottom rolls, 14%" dia. Spindle sizes: Side heads 1-13/16" dia., 2-3/16" dia., No. 2 Taper. Motor sizes: Top head 125 H.P.;

Bottom head, 75 H.P.; Front Sidehead 60 H.P.; Back Sidehead 40 H.P. Either type "C" Profiler or JM-5 Profiler obtainable at option.

MODEL 137M MOULDER

Woods new, improved 8" Moulder. With "finger-tip" adjustments made from the side of the machine. Wr all 33 features.





Gear driven "pineapple" spiral fluted feed rolls in many variations.


Other specialty machines

E-11 END MATCHER

80 M STAVE PLANER
80 M2A PENCIL MACHINE

A-50 HYDRAULIC PLANER MATCHER

The hydraulic feed is designed to provide a smooth and synchronized speed to all six feed rolls (4 infeed and 2 outfeed) at speeds of from 400 to 1200 feet per minute.




PLANER MONITOR

Accurately tracks and reports lineal and board footage; elapsed, run, set-up and downtime; number of set-ups; instantaneous rate (FPM); pulse count; percent standard rate; plus 10 causes of downtime, giving number of stops and lost time in each category.









Matchers, maintains this leadership, in part, through constant development of new types of cutterheads and knives. All Yates-American machines are furnished with the latest heads, knives, bits and milled-to-pattern bits available.

Yates-American can furnish up-to-date side heads for any standard cut and profile heads for designs as needed.



MAIN OFFICE:
BELOIT, WISCONSIN 53511
608/364-0333

GREENSBORO, NORTH CAROLINA 919/272-4531

PORTLAND, OREGON 503/285-3001